



MONOPROPYLENE GLYCOL USP GRADE

Technical Data

Assay	99.5% min.
Colour	10 Hazen max.
Appearance	Clear liquid free from suspended matter
Water	0.2% max.
Specific Gravity	1.035 – 1.037 @ 25°C
Refractive Index	1.431 – 1.433
Sulphated Ash	0.01% max.
Chloride	70 ppm max.
Sulphates	60 ppm max.
Heavy Metals	5 ppm max.
Oxidising Substances	Passes test
Reducing Substances	Passes test
CAS No.	57-55-6
EINECS No.	200-338-0
INCI Name	Propylene Glycol

Product is manufactured to meet the current US and European pharmacopoeia (EP) specification.

This product has not been tested on animals.

The content of this data sheet is given in good faith and without warranty.

Lubrisolve Engineering Solutions Ltd makes the limited warranty that at the date of delivery this product will be free from defects in materials and workmanship.

No warranty of merchantability, fitness for any use, or any other warranty is expressed or to be implied, regarding the accuracy of this data. The results to be obtained from the use thereof, or the hazards connected with the use of this product.

Lubrisolve Engineering Solutions Ltd. assumes no liability for any alleged ineffectiveness of the product or any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is solely attributable to negligence on the part of Lubrisolve Engineering Solutions Ltd.

Issue 23.12.15