


Universe	Professional
Туре	Lighting
Category	Compact, durable headlamps
Subcategory	Compact, durable headlamps





PIXA® 2

The PIXA 2 is a rugged headlamp offering lighting that allows the user to work comfortably on tasks close at hand or to move around safely. CONSTANT LIGHTING technology: brightness does not decrease gradually as the batteries are drained. It meets ATEX zone 2/22 (II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc) certification requirements for work in explosive environments.



Multi-beam: multiple lighting modes available for close-range work or for movement.



Knob can be handled with gloves to facilitate use of the headlamp under any conditions.



Headlamp meeting ATEX zone 2/22 (II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc) certification requirements for work in explosive environments.



Excellent resistance to falls, to impacts and to crushing.

Short Description Headlamp for use in ATEX explosive environments, suitable for proximity lighting and movement. 80 lumens

Selling Points

- Headlamp keeps hands free for work and can be:
- worn on the head with the headband
- attached to the helmet with a mounting plate (included)
- placed on the ground
- CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains
- Several lighting modes adapt to each situation:
- low-intensity mode adapted to close-range work: mixed beam with a wide, uniform flood
- high-intensity mode adapted to movement: mixed beam with focused component allows user to move around comfortably
- Lighting for professionals that is reliable, practical and durable:
- automatically switches to reserve mode when batteries are almost drained (signaled by blinking light)
- rotating knob that is ergonomic, even with gloves
- storage position helps protect the headlamp lens and prevents inadvertently turning it on
- may be used in explosive environments
- excellent resistance to falls (2 m), impacts, and crushing (80 kg)
- comfortable and washable elastic headband
- resistant to chemicals
- ATEX zone 2/22 (II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc) certified headlamp

Specification

- Weight: 160g
- Technology: CONSTANT LIGHTING
- Beam pattern: mixed
- Energy: 2 AA/LR06 batteries (included)
- Battery compatibility: rechargeable Ni-MH and lithium
- Watertightness: IP 67 (waterproof to -1 meter for 30 minutes; no maintenance required after immersion)

Lighting performance

Lighting technology	Lighting modes	Beam pattern	Brightness	Distance	Burn time	Reserve mode
CONSTANT LIGHTING	close-range work	flood	20 lm	25 m	26 h	10 lm for 13 h
CONSTANT LIGHTING	movement	mixed	80 lm	55 m	3h30	10 1111 101 13 11

Specifications by reference

Reference(s)	E78BHB 2			
	Certification(s): CE, II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc, room temperature: -30° C to +40° C			
Color(s)	black/yellow			
Made in	MY			
Guarantee	3 years			
Packing	1			
Case quantity	36			
EAN	3342540097629			

Accessory(ies) POCHE PIXA

POCHE PIXA RUBBER PIXA® headband PIXADAPT

Related product(s) VERTEX® BEST

ALVEO VENT PIXA® 2 (HAZLOC)

Countertop or wall display for headlamps Floor display for pro headlamps Rotating floor display for pro headlamps