

BOK MOTORCYCLE BLUETOOTH[®] COMMUNICATION SYSTEM WITH MESH INTERCOM™



3.2.0

RIDE CONNECTED

The 30K features Sena's Mesh Intercom technology allowing your group to seamlessly communicate, even if a rider falls out of range. With more connections and Mesh Intercom™ technology, the 30K is the next generation of communication.



* in open terrain

GETTING STARTED

- This product comes with a Quick Start Guide, which is a basic version of the User's Guide. A FULL VERSION OF THE USER'S GUIDE CAN BE DOWNLOADED AT SENA.COM.
- 2. Update this product for free with the latest firmware to fully enjoy the new advanced features built into this product. Visit **sena.com** to see how to update your product.
- Users can follow Sena on Facebook, YouTube, Twitter and Instagram to receive the most up to date information on products, helpful tips and all other announcements regarding Sena products.



Sena Technologies Co., Ltd. Customer Support: sena.com


GETTING STARTED



GETTING STARTED

How to Use This Guide

The legend and callouts are here to help you read the illustrations. New technology can be confusing, but we've created a simple way to perform actions using illustrations.



GETTING STARTED

Icon Legend



Tap button/Jog Dial the specified number of times



Press and Hold button/ Jog Dial for the specified amount of time



Rotate Jog Dial clockwise (right) or counterclockwise (left).



Rotate while Pressing Jog Dial clockwise (right) or counterclockwise (left).



"Hello"

Audible prompt from the Bluetooth Module


Product Details





QUICK START GUIDE

Installation



Mesh Intercom Antenna

Pull the Mesh Intercom Antenna outwards slightly to unfold it.



Sena Motorcycles App

Download the Sena Motorcycles App at Google Play Store or App Store.



Sena Motorcycles

• Device configuration setting

Sena Device Manager

The **Sena Device Manager** allows you to upgrade the firmware and configure its settings directly from your PC or Apple computer. Download the **Sena Device Manager** from **sena.com**.

NOTICE

- This Quick Start Guide (Version 3.0.0 or higher) explains how to operate the 30K with firmware version 4.0.0 or higher.
- For operating the 30K with a firmware version lower than 4.0.0, refer to the 30K Quick Start Guide that is available when you connect the 30K to the Sena Motorcycles App.

Basic Operations

Powering On



Volume Up



Powering Off



OFF

Volume Down




VOLUME DOWN

Checking the Battery Level

Instruction is for when powering the headset on.

Visual Method



Phone Pairing



2. Select **30K** in the list of Bluetooth devices detected.



"Phone pairing"

- The headset will enter the Phone Pairing mode automatically when you initially turn on the headset.
- For more information on phone pairing, refer to the User's Guide.

Mobile Phone

Answer a Call



End a Call



Reject a call



Call a Voice Assistant



Music Controls

Play/Pause



Track forward




Track backward



Mesh Intercom[™]

When **Mesh Intercom** is enabled, the **30K** will automatically connect to nearby **30K** users and allow them to talk to each other.



Note: Open Mesh and Group Mesh cannot communicate with the previous modes Public Mode and Private Mode. In case of no communication, the headset should be upgraded to the latest firmware.


Open Mesh™

When **Mesh Intercom** is enabled, the headset will be in **Open Mesh (default: channel 1)** initially. Users can freely communicate with each other in the same **Open Mesh** channel.

Channel Setting (Default: channel 1)

If the **Open Mesh** communication experiences interference because other groups are also using **channel 1 (default)**, change the channel. You can select from channels 1 to 9.

Enter into the Channel Setting




Note: To exit the Channel Setting, rotate the Jog Dial clockwise or counterclockwise until you hear a voice prompt, "Exit", and tap the Jog Dial.

Group Mesh[™]

Group Mesh is a closed group intercom function that allows users to join, leave, or rejoin a group intercom conversation without pairing each headset. Up to 24 users can all be connected in each private group.

Creating a Group Mesh


Creating a Group Mesh requires two or more Open Mesh users.



1. Enter into Mesh Grouping to create a Group Mesh.



2. The headsets complete **Mesh Grouping** and automatically switch from **Open Mesh** to **Group Mesh**.



Joining an Existing Group Mesh

One of the members in an **Existing Group Mesh** can allow new members in **Open Mesh** to join the **Existing Group Mesh**.


New Members









Existing Group Mesh and Current Members



1. One of the current members and a new member enter into Mesh Grouping to join the Existing Group Mesh.



2. The headsets complete **Mesh Grouping**. The new members will hear a voice prompt as their headsets automatically switch from **Open Mesh** to **Group Mesh**.



Enable/Disable Mic (Default: Enable)

Users can enable/disable the microphone when communicating in a **Mesh Intercom**.

Enable/Disable the Microphone



Mesh Reach-Out Request

You (caller) can send a request message to turn on the Mesh Intercom to nearby friends who have it turned off.

- If you want to send or receive a request massage, you need to enable Mesh Reach-Out on the Sena Motorcycles App.
- While your headset's Mesh Intercom is on, you (caller) send a request message using the headset's Button or the Sena Motorcycles App.



 Friends who receive the request message need to manually turn on their Mesh Intercom using the headset's Button or the Sena Motorcycles App.

Reset Mesh

If a headset in an **Open Mesh** or **Group Mesh** resets the **Mesh**, it will automatically return to **Open Mesh (default: channel 1)**.




Bluetooth Intercom

Up to three other people can be paired with the headset for **Bluetooth intercom** conversations.

Intercom Pairing

There are two ways to pair the headset.



Using the Smart Intercom Pairing (SIP)

SIP allows you to quickly pair with your friends for intercom communication by scanning the QR code on the **Sena Motorcycles App** without remembering the button operation.

- 1. Pair the mobile phone with the headset.
- 2. Open the Sena Motorcycles App and tap 🚍 (Smart Intercom Pairing Menu).
- Scan the **QR code** displayed on your friend (B)'s mobile phone.
 - Your friend (B) can display the QR code on the mobile phone by tapping → > **QR code** (∰) on the **Sena Motorcycles App**.



- Tap Save and check that your friend (B) is paired with you (A) correctly.
- 5. Tap Scan (()) and repeat steps 3-4 to pair with Intercom Friends (C) and (D).

Note: The Smart Intercom Pairing (SIP) is not compatible with Sena products that use **Bluetooth 3.0** or **below**.


Using the Button



1. The users (You, B) enter into Intercom Pairing.



2. The **users' headsets** will be automatically paired.



3. Repeat the steps above to pair with **other headsets** (C and D).

Two-Way Intercom

Last-Come, First-Served

Start/End with Intercom Friend 1



Start/End with Intercom Friend 2



Start/End with Intercom Friend 3









Intercom Intercom Friend 1 Friend 2







Intercom Friend 1 Intercom Friend 2

Friend 3

•

Ambient Mode





Configuration Menu

Accessing the Configuration Menu



Navigating Between Menu Options





NAVIGATE FORWARD



"Configuration menu"



"[Menu prompt]"

ROTATE

Enable or Execute Menu Options



NAVIGATE

"[Menu prompt]"

Troubleshooting

Solid red

Factory Reset



Fault Reset



Note: Fault Reset will not restore the Bluetooth module to factory default settings.



LED STATUS



.

QUICK REFERENCE

TYPE	OPERATION	BUTTON COMMANDS
Basic Operations	Power on/ Power off	$P \bigoplus \begin{pmatrix} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$
	Volume up/ Volume down	ROTATE or ROTATE
	Ambient Mode	$(\underbrace{\widehat{2x}}_{x})$
Mobile Phone	Answer phone call	(1)
	End phone call	$\mathbb{P}\left(\underbrace{\overbrace{1x}}_{TAP}\right)$
	Reject phone call	HOLD 25
	Call transfer while on the phone	P (HOLD 2s
	Call a Voice Assistant	$\mathbb{P}\left(\underbrace{\overbrace{1x}}_{\text{TAP}}\right)$
	Speed dial	$\mathbf{P}\left(\frac{\mathbf{x}}{\mathbf{2x}}\right)$



QUICK REFERENCE

QUICK REFERENCE

TYPE	OPERATION	BUTTON COMMANDS
(J) Music	Play/Pause music	HOLD 15
	Track forward	REAL REAL
	Track backward	CO PITE
Mesh Intercom™	Mesh intercom on/off	$\square (\underbrace{1}_{\text{TAP}})$
	Channel setting	$\square (\widehat{\frac{2}{2x}})$
	Mesh Grouping	M (HOLD 55
	Enable/Disable Mic	M (HOLD 1s
	Mesh Reach-Out Request	\mathbb{M} $(\underbrace{\widehat{3x}}_{3x})$
	Reset Mesh	HOLD 85
(Thercom	Intercom pairing	
	Start/End intercom	(1)