

MPN: VLHDMIEXT1-TV2

## HDMI över IP 120m 1:253 + IR, Sändare

Sändarenhet med IR-sändare Max upplösning 1080P@60hz

VLHDMIEXT1-TV2 är sändare för VLHDMIEXT1-RV2

Den kan förlänga video/audio/IR med en upplösning av 1080P@60 Hz upp till 120 meter via en enda nätverkskabel (Cat 5e/6)

Upp till 253 mottagare kan anslutas till en sändare med hjälp av Gbit-switch. En mottagare kommer att ta upp 18Mbit bandbredd.

Observera att denna produkt inte är kompatibel med HDBaseT-mottagare

Typisk installation:

Den kan installeras var som helst för att förlänga HDMI-signalen upp till 120m inklusive AV/IR-kontrollsignaler

T.ex. Privat installation, informationsskärmar i butiker eller kontor

Funktion:

HDMI-extender

Punkt till punkt, Tx till Rx för 120m 1080P@60Hz

Signalen kan delas med en GBit-switch till flera mottagare

En mottagar-enhet tar endast upp 18M bandbredd.

Nyckelfunktioner:

Super kostnadseffektiv HDMI-extender över IP-nätverk

TX: 192.168.1.210

RX: 192.168.1.220

- Stöder Full HD-upplösning 1080P@60 Hz
- Maximal överföringsavstånd 120m
- Stöder IR-kontroll (IR-mottagare och sändare ingår)
- Signalen kan delas med en GBit-switch till flera mottagare



## Specifikationer

| Features                  |                   |  |
|---------------------------|-------------------|--|
| Cable length              | 120 m             |  |
| Cable types supported     | Cat5e, Cat6       |  |
| HDCP                      | Yes               |  |
| HDCP & EDID bypass        | Yes               |  |
| HDCP pass-through         | Yes               |  |
| HDCP version              | 1.4               |  |
| IR pass-through           | Yes               |  |
| LED indicators            | Yes               |  |
| Maximum resolution        | 1920x1080p pixlar |  |
| Maximum transfer distance | 120 m             |  |
| Product colour            | Black             |  |
| Remote control type       | IR                |  |
| Supported video modes     | 1080p             |  |
| Type                      | AV transmitter    |  |

|                        |                                   |             |
|------------------------|-----------------------------------|-------------|
| Features               | Video compression formats         | H.264       |
|                        | Wall mountable                    | Yes         |
| Operational conditions | Operating relative humidity (H-H) | 10 - 90 %   |
|                        | Operating temperature (T-T)       | 0 - 60 ° C  |
| Packaging content      | AC adapter included               | Yes         |
|                        | Included power plug types         | EU          |
|                        | IR blaster included               | No          |
|                        | IR receiver included              | Yes         |
| Ports & interfaces     | 3.5 mm (1/8-inch) in              | Yes         |
|                        | 3.5 mm (1/8-inch) out             | Yes         |
|                        | Connectivity technology           | Wired       |
|                        | DC-in jack                        | Yes         |
|                        | Ethernet LAN                      | Yes         |
|                        | HDMI in                           | 1           |
|                        | HDMI version                      | 1.4         |
|                        | Number of HDMI outputs            | 1           |
|                        | Remote (IR) input                 | 1           |
|                        | Remote (IR) output                | 1           |
|                        | RJ-45 output ports                | 1           |
|                        | Video in                          | 1           |
|                        | Video out                         | 1           |
| Power                  | AC input frequency                | 50 / 60 hz  |
|                        | AC input voltage                  | 100 - 240 V |
|                        | Power consumption (typical)       | 3,5 W       |
| Technical details      | Audio support                     | Yes         |
| Vendor information     | Brand Name                        | Vivolink    |
|                        | Warranty                          | 5 År        |

## Andra bilder



### Connection

