

Glow plug removal kit

Special set for glow plug tip extraction M8x1 - M9x1 - M10x1 and M10x1.25, **14 pcs**

HIGH QUALITY
BORE BIT TIN COATING

SAFE REMOVAL, NO DAMAGE TO
THE CYLINDER HEAD



63
250
312
2,5
Kg

PATENTED
GOVONI
PATENTED

SPECIAL
DRILL BITS FOR
NEW CERAMICS
GLOW PLUGS

Complete Kit

311 205 000

- i** ▶ Set of tools for the extraction of part of the electrode terminal part of the glow plugs (M8, M9, M10) in the event of breakage or seizure inside the seat, otherwise impossible to remove.
- 🔧** ▶ The set includes all the tools needed to safely remove the terminal part of the glow plug electrode without damaging the cylinder head.

This operation becomes very simple and fast. The alternative is to disassemble the head, the time saving therefore becomes considerable.

- 🔧** ▶ Highly recommended for Citroën, Peugeot, Ford 1.4 - 1.6 HDi



STEP 1 - DRILLING



STEP 2 - THREADING



STEP 3 - EXTRACTION



SAVING TIME



SAVING MONEY




SATISFIED CUSTOMER

Glow plug removal kit

BELOW THE MAIN APPLICATIONS, ON EACH TYPE OF GLOW PLUG

M8x1	FIAT	LANCIA	FORD
	IVECO	ALFAROMEIO	PEUGEOT
	JAGUAR	LANDROVER	CITROËN
	JEEP	VOLVO	CHRYSLER

<p>M8x1 SPECIAL APPLICATION</p> <p>The kit contains the tools to remove the glow plugs tip that are mounted in M8x1 glow plug. The electrode tip has the same measure of the one of the standard M10 glow plug.</p>  <p>BREAKING ZONE AND DIMENSIONS Minimum outside diameter of electrode tip = $\varnothing 4,3$ Maximum diameter of internal hole = $\varnothing 3$</p>	CITROËN	XSARA	1.4 HDI
		XSARA BREAK	1.4 HDI
		XSARA COUPE	1.4 HDI
		XSARA PICASSO	1.6 HDI
		BERLINGO	1.6 HDI 90
		C2	1.4 HDI
			1.6 HDI
		C3 (FC_)	1.4 HDI
			1.4 HDI 16V
		C3 PLURIEL	1.6 HDI 16V
	1.4 HDI		
	C4 COUPE	1.4 HDI	
	C4 GRAND PICASSO	1.6 HDI 110 FAP	
	C5	1.6 HDI 110 FAP	
	C5 BREAK (RE)	1.6 HDI	
	MAZDA	FIESTA V	1.4 TDCI
		FOCUS C-MAX	1.6 TDCI
		FOCUS II	1.6 TDCI
		FUSION	1.4 TDCI
			1.6 TDCI
2	1.4 CD		
PEUGEOT	107	1.4 HDI	
	206 (2A/C)	1.4 HDI	
	206 SW (2E/K)	1.4 HDI ECO 70	
		1.6 HDI FAP 110	
	206 CC (2D)	1.6 HDI FAP 110	
	207	1.4 HDI	
		1.6 HDI	
	307 (3A/C)	1.4 HDI	
		1.6 HDI	
	307 BREAK (3E)	1.6 HDI FAP 110	
		1.6 HDI	
	307 SW (3H)	1.6 HDI FAP 110	
		1.6 HDI FAP 110	
407	1.6 HDI FAP 110		
407 SW	1.6 HDI FAP 110		
1007	1.4 HDI		
SUZUKI	LIANA / KOMBI	1.4 DDIS	
TOYOTA	AYGO	1.4 HDI	
VOLVO	S 40 II	1.6 D	
	V 50	1.6 D	


Glow plug removal kit

BELOW THE MAIN APPLICATIONS, ON EACH TYPE OF GLOW PLUG


M9x1	ALFA ROMEO	JEEP	SAAB
	FIAT	LANCIA	OPEL
M10x1	BMW	VW	PORSCHE
	MINI	SEAT	VOLVO
	MERCEDES	SKODA	OPEL
	RENAULT	FIAT	SAAB
	NISSAN	CHRYSLER	JEEP
	AUDI		
M10x1.25	CHEVROLET	NISSAN	HONDA
	MITSUBISHI	RENAULT	SAAB
	ISUZU	OPEL	LEXUS
	SSANGYONG	KIA	HYUNDAI
	MAZDA	TOYOTA	

Components


311205004 M4 extraction rod fitted with nut




311205014 M4 male fitted with extension




311205006 M4 extraction rod fitted with nut (special application)



311205016 M4 male fitted with extension (special application)




311205002 M3 extraction rod fitted with nut



311205012 M3 male fitted with extension




311205019 Ø2,5 tip fitted with extension




Components


311205023 Ø3,2 tip fitted with extension



311205021 Ø3,2 tip fitted with extension (special application)



311205017 Glow plug extraction slide hammer




311205007 M10x1 glow plug guide



311205008 M10x1,25 glow plug guide



311205009 M8x1 glow plug guide



311205010 M9x1 glow plug guide

