

Mixing Canulas



Technical Data Sheet

Product description:

For the mixing of two-component materials from standard customary double cartridges or double syringes.

Composition:

| Pos | Denomination |
|-----|-----------------------------|
| 1 | Canula Housing |
| 2 | Mixing Element PP resp. POM |

Dreve Dentamid GmbH

Max-Planck-Str. 31

59423 Unna / Germany

Tel.: 02303 / 8807-0

Fax: 02303 / 8807-55

info@dreve.de

www.dreve.com

| Mixing Canula | Cartridge System | Colour Identification | Inner diameter mm | Length mm | Contents/ Volume ml | Mixing Elements |
|----------------|------------------|-----------------------|-------------------|-----------|---------------------|-----------------|
| MA 5,4 – 13D | 48 ml | -- | 5,4 | 79,0 | 1,20 | 13 |
| MA 6,3 – 12D | 48 ml | -- | 6,3 | 58,8 | 1,82 | 12 |
| MBT 3,2 – 12 S | 50ml | Blau | 3,2 | 49,8 | 0,36 | 12 |
| MBT 4,2 – 12 D | 50ml | Gelb | 4,2 | 50,1 | 0,59 | 12 |
| MBT 5,4 – 12 D | 50ml | Pink | 5,4 | 59,4 | 1,02 | 12 |
| MBT 6,5 – 12 D | 50ml | Grün | 6,5 | 67,6 | 1,60 | 12 |
| MBTX 3,2- 16 S | 50ml | Blau 4:1 | 3,2 | 57,6 | 0,46 | 16 |
| MLT 2,5 – 10 S | 5ml | Braun | 2,5 | 34,4 | 0,13 | 10 |
| MBT 381- 05 HS | 380 ml | Gelb 5:1 | 6,0 | 52,5 | 4,80 | 5 |
| | | | | | | |

These data result from measurements which are executed from time to time in view of our quality management system.
This document is valid without any signature.

Rev. 19.04.2017
Seite 1 von 1
41e-3928/CW