Safety Data Sheet according to 2001/58/EC

Commercial product name: Quick Dry Spray

Print date: 18.10.2004

Revision date:

Page 1 of 8

1. Identification of the substance/preparation and company

Product code: 87036

1.1 <u>Commercial product name</u>

Quick Dry Spray

Use of the substance/preparation

Cosmetic product Restricted to professional users.

1.2 Information manufacturer/supplier

Wilde Cosmetics GmbH Große Hub 2-5 D-65344 Eltville Telephone : +49-6123-706-0 Telefax : +49-6123-706-15 Contact person : Stefanie Prag Telephone : -768 e-Mail : stefanie.prag@wilde-cosmetics.de

Emergency telephone number : +49-6123-706-0

2. Composition/information on ingredients

Chemical characterization : (substance)

Chemical Name / INCI: Propane/Butane Isopropyl Alcohol (isopropanol, isopropyl alcohol, propan-2-ol) Parfum Benzyl Alkohol Cinnamal Alcohol Benzyl Salicylate Cinnamal Coumarin Geraniol Linalool Benzyl Bezoate Limonene Alpha-Isomethyl Ionone

Hazardous components

(Full text of each relevant R phrase can be found in heading 16) EC No. CAS No. Components Value Symbols **R**-phrases 200-827-9 74-98-6 95 - 100 % F+ R12 propane 203-448-7 106-97-8 95 - 100 % F+ R12 butane 200-661-7 67-63-0 F, Xi R11-36-67 isopropanol, isopropyl alcohol, 1 - 5 % propan-2-ol

according to 2001/58/EC Commercial product name: Quick Dry Spray

Print date: 18.10.2004	Revision date:	Page	2 of 8

Additional information

The product is classified and labelled in accordance with Directive 1999/45/EC.

3. Hazards identification

Classification

Symbols : Extremely flammable R-phrases : Extremely flammable.

Explication of special hazards for human health and environment

Irritating to eyes. Vapours may cause drowsiness and dizziness. May cause sensitization by skin contact. In use, may form flammable/explosive vapour-air mixture. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. First aid measures

General information

Evacuate personnel to safe areas. Consult a physician if necessary. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

After contact with eyes

Flush eye(s) immediately with plenty of water. Call a physician immediately.

After ingestion

Drink plenty of water. Call a physician immediately.

5. Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing media: foam, carbon dioxide (CO2), water, dry chemical.

Extinguishing media which must not be used for safety reasons

no data available. Conditions to avoid: high volume water jet

Safety Data Sheet according to 2001/58/EC

Commercial product name: Quick Dry Spray

Print date: 18.10.2004	Revision date:	Page 3 of 8
1 mill date: 10:10:2001		rugo o or o

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In the event of fire, the following can be released: carbon oxides, fumes. Harmful by inhalation. In the event of fire and/or explosion do not breathe fumes.

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus. protective suit

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental release measures

Personal precautions

Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin and eyes. Do not breathe vapours or spray mist. protective suit.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Methods for cleaning up/taking up

Liquid: adsorption in inert material (e.g. sand, kieselguhr, acid binder, universal binder, sawdust). Dispose of as special waste in compliance with the Control of Pollution (Special Waste) Regulations 1980. aerosol/gas: Ensure adequate ventilation, especially in confined areas.

7. Handling and storage

7.1 Handling

Advice on safe handling

Take notice of labels and material safety data sheets for the working chemicals. Handle in accordance with good industrial hygiene and safety practice. Refer also to instructions for use.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge Use only explosion-proof equipment.

Further information on handling

Refer also to instructions for use.

according to 2001/58/EC

Commercial product name: Quick Dry Spray

Print date: 18.10.2004	Revision date:	Page	4 of 8

7.2 Storage

Requirements for storage rooms and vessels

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Further information on storage conditions

Keep away from direct sunlight. Keep at temperature not exceeding 50 °C.

Storageclass (VCI): 2B

8. Exposure controls/personal protection

8.1 Exposure limit values

Exposure lim Components CAS No.	its (EH40) Exposure limit ml/m ³	mg/m³	F/ml	Category		Origin
Propane						
74-98-6				TWA (8 h) STEL (15 n	nin)	OES OES
Butane				,	,	
106-97-8	600	1450		TWA (8 h)		OES
	750	1810		STEL (15 n	nin)	OES
Propan-2-ol				,	,	
67-63-0	400	999		TWA (8 h)		OES
	500	1250		STEL (15 n	nin)	OES
BAT-parameter Bezeichnung CAS-Nr.	ers (TRGS 903) Parameter			BAT-Wert		Proben zeitpunkt
2-Propanol 67-63-0	Aceton			50 mg/l	В	b

8.2 Exposure controls

Occupational exposure controls

Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

Protective and hygiene measures

Ensure adequate ventilation, especially in confined areas.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Safety Data Sheet according to 2001/58/EC

Commercial product name: Quick Dry Spray

e e i i i i i i i i i i i i i i i i i i				
Print date: 18.10	0.2004	Revision date:		Page 5 of 8
Hand protectio preventive skin product.		nt gloves (butylrubber). Use pro	tective sk	in cream before handling the
Eye protection safety glasses v	vith side-shields			
Skin protection protective suit.	1			
9. <u>Physical ar</u>	nd chemical properties	<u>}</u>		
9.1 Appearance	2			
Form: Colour: Odour:	aerosol/Liquid colourless characteristic			
9.2 Important h	ealth, safety and enviror	<u>nmental information</u>		Test method
Changes in the	physical state			
Flash point: propan-2-ol)		12	°C	(isopropanol, isopropyl alcohol,
Flammability				
Lower Explosion			vol. % vol. %	gas gas
9.3 Other inform	mation			
Autoignition terr	perature			
10. <u>Stability a</u>	nd reactivity			
Take measures Keep away from	heat and sources of ignition to prevent the build up of	electrostatic charge dry place. Store in a cool and s	shaded ar	ea.

according to 2001/58/EC

Commercial product name: Quick Dry Spray

Print date: 18.10.2004

Revision date:

Page 6 of 8

11. Toxicological information

Irritancy and corrosiveness

No data is available on the product itself. Irritating to eyes.

Sensitising effect

May cause sensitization by skin contact.

Subacute, subchronic and prolonged toxicity

Vapours may cause drowsiness and dizziness.

Additional information on tests

No data is available on the product itself.

Empirical data on effects on humans

Health injuries are not known or expected under normal use.

12. Ecological information

Additional information

No data is available on the product itself. Do not flush into surface water or sanitary sewer system.

13. Advice on disposal

Dispose

Empty containers can be landfilled, when in accordance with the local regulations.

Waste disposal number of Waste from residues / unused product : 140603

WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures Classified as hazardous waste.

Waste disposal number of used product : 140603

WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures Classified as hazardous waste.

Waste disposal number of contaminated packaging : 140603

WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures Classified as hazardous waste.

Contaminated packaging

Empty containers can be landfilled, when in accordance with the local regulations.

according to 2001/58/EC

Commercial product name: Quick Dry Spray

Print date: 18.10.2004		Revision date:	Page	7 of 8
14. <u>Transport information</u>				
14.1 Land transport (ADR/RI	<u>D)</u>			
ADR/RID: Warnings plate :	2			
UN number: Hazard label:	1950 2.1			
Description of the goods: DRUCKGASPACKUNGEN, entzündbar				
14.2 Inland waterways transport				
14.3 Marine transport				

IMDG code:	9022/9		

Packing group: II

14.4 Air transport

ICAO/IATA-DGR: 2.1/-/-

14.5 Further Information

15. <u>Regulatory information</u>

15.1 Labelling

Indication of danger

F+ - Extremely flammable; Xi - Irritant

Labelling according to EC-guidelines

The product is classified and labelled in accordance with Directive 1999/45/EC.

R phrases

12-18-36 Extremely flammable. In use, may form flammable/explosive vapour-air mixture. Irritating to eyes.

S phrases

03-09-15-16-21-23-25-26-35-41-42-43 Keep in a cool place. Keep container in a well-ventilated place. Keep away from heat. Keep away from sources of ignition - No smoking. When using do not smoke. Do not breathe gas/vapour/spray.

according to 2001/58/EC

Commercial product name: Quick Dry Spray

Print date: 18.10.2004	Revision date:	Page	8 of 8

Avoid contact with eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

This material and its container must be disposed of in a safe way.

In case of fire and/or explosion do not breathe fumes.

During spraying wear suitable respiratory equipment.

In case of fire, use sand, dry chemical or alcohol-resistant foam/water spray.

Special labelling for certain preparations

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition — No smoking. Keep out of the reach of children.

Additional information

EG Directive 76/768/EEC (cosmetic regulation)

15.2 National regulations

Employment restrictions:	Observe employment restrictions for young people.
Water contaminating class:	1 - slightly water contaminating

16. Other information
