



REAR VIEW



FRONT VIEW



ADAPTERS COLOUR

MODE	MTP	LCD
OS2	GREEN	BLUE
OS2-APC	GREEN	GREEN
OM3	AQUA	AQUA
OM4	MAGENTA	MAGENTA
OM5	LIME	LIME

ORDERING CODE

M12**X**-**XX**2-**BXS**

- L** Standard polarity, **B** polarity B
- F** MTP female, **M** MTP male (direct split)
- L** LC/PC, **A** LC/APC (direct split)
- 9** OS2, **3** OM3, **4** OM4, **5** OM5
- M** MTP PANEL SYSTEM

NOTES:

1 - OM3, OM4: IL<0.6dB AT 850nm AND 1300nm - CHANNEL VALUE ACCORDING IEC 61280-4-1 ONE-CORD REFERENCE METHOD

RL>19.6dB AT 850nm AND 1300nm - CHANNEL GUARANTEED VALUE

OS2: IL<0.6dB AT 1310nm AND 1550nm - CHANNEL VALUE ACCORDING IEC 61280-4-1 ONE-CORD REFERENCE METHOD

RL>47B (UPC) AT 1310nm AND 1550nm - CHANNEL GUARANTEED VALUE

RL>49.6B (APC) AT 1310nm AND 1550nm - CHANNEL GUARANTEED VALUE

VISUAL ASPECT CHECK ACCORDING TO IEC 61300-3-35

END FACE GEOMETRY ACCORDING TO TELCORDIA GR-326 (Singlefiber connector)

END FACE GEOMETRY ACCORDING TO IEC 61755-3-31 (Multifiber connector - APC polished)

END FACE GEOMETRY ACCORDING TO IEC 63267-3-31 (Multifiber connector - FLAT polished)

2 - LABEL ON PRODUCT PACKAGING AND MASTER CARDBOARD BOX

3 - CUMULATIVE TEST REPORT OF MEASURED IL AND RL VALUES SENT ON DEMAND IN ELECTRONIC FORM

REVISION-DATE: A - 13.01.2020	CHANGE:	DRAWN BY, DATE: M.Ruzbarsky 2020/01/13	TITLE: 1x12f MTP to 6xLC DUPLEX MODULE		
New drawing		CHECKED BY, DATE: Pavlov/Matúš 2020/01/13	PRODUCT SPECIFICATION: -		
REVISION-DATE:	CHANGE:	APPROVED BY, DATE: I.Brestovanská 2020/01/13	DIMENSIONS IN MM UNLESS SPECIFIED	SCALE: NO SCALE	
		PRODUCT NUMBER:	DRAWING NUMBER: 1-S-2950_1_A	SHEET NO. 1 of 1	
		A	F-rack		SIZE A3