

Ref.7250205 RETEXO GYRO REWIND

Retexo Gyro Rewind lanyards feature our proprietary Gyro swivel and rewind lanyards designed for the most technical users. The proprietary Gyro swivel rotates at all three connection points to prevent twisting.

Robust elastic webbing lanyards have a high elongation ratio (1:2.3).

Certified for horizontal use over sharp edges ($r \geq 0.5$ mm).

The Retexo is a next generation energy absorber designed to be particularly light and compact.

Energy absorption is optimized to limit extension in the event of a fall as much as possible while still achieving a low fall arrest force. With lanyards with a total length up to 200 cm, the Retexo is certified for workers with a maximum total weight up to 130 kg. Ideal in situations with limited clearance (<4 m) when used with lanyards with a total length up to 150 cm.

Robust case with zip closure for easy inspection of the fall indicator and the identification label. Case is removable and washable.

TOWERS/INDUSTRY

ROPE ACCESS

TEAM RESCUE



CONSTRUCTION

CONFINED

EDGE TESTED



Certified for horizontal use over sharp edges



Ref.	Product name Nombre del producto	Weight Peso		Working load Max Carga de trabajo Max	CE	EN 355	CNB/P/11.074
		g	oz				
7250205	RETEXO GYRO REWIND + 1176 + 2x2148 95-135 cm	1750	61.7	130		•	•

RETEXO GYRO



The GYRO swivel rotates at all three connection points to prevent twisting

CE Label

Case with zip closure for easy inspection of the fall indicator and the identification label.
Case is removable and washable.



CAMP Safety	RETEXO GYRO REWIND + 1176 + 2x2148 95-135 cm Ref.7250205 Batch # 10 19 Serial # 0001			
CE 0123	≤130 kg → max 200 cm	PPE-R/11.074 max 100 kg r<0.5mm		
EN 355:2002	CAMP S.p.a. Via Roma 23, Premana (LC) Italy			

One label with all the information.

Fall Indicator Label

FALL INDICATOR Retire from service if this label is broken		INDICATEUR DE CHUTE Mettre au rebut si cette étiquette est rompue
INDICATORE DI CADUTA Mettere fuori servizio se questa etichetta è rotta		FALLINDIKATOR Nicht weiterverwenden, falls dieses Etikett kaputt ist

Retire from service if this label is broken

RETEXO ABSORBER - Clearance distance

