DEKRA

EC-Type Examination Certificate

- (2) Council Directive of 21 December 1989 on the approximation of the laws of the member states relating to personal protective equipment 89/686/EEC
- (3) No. of EC-Type Examination Certificate: ZP/B147/15
- (4) Product: Anchor device type B

Type: LOCK 11/-13

- (5) Manufacturer: INNOTECH Arbeitsschutz GmbH
- (6) Address: Laizing 10, A-4656 Kirchham, ÖSTERREICH
- (7) The design and construction of this personal protective equipment and any acceptable variation thereto are specified in the schedule to this type examination certificate.
- (8) The certification body of DEKRA EXAM GmbH, Notified Body No. 0158 according to Article 9 of Council Directive 89/686/EEC of 21 December 1989, certifies that this personal protective equipment has been found to comply with the Essential Health and Safety Requirements given in Annex II to the Directive. The examination and test results are recorded in the test and assessment report PB 15-209.
- (9) The Essential Health and Safety Requirements are assured by compliance with

DIN EN 795:2012

DIN CEN/TS 16415:2013

- (10) This EC-Type Examination Certificate relates only to the design, examination and tests of the specified personal protective equipment in accordance to Directive 89/686/EEC. Further requirements of the Directive apply to the manufacturing process and supply of this personal protective equipment. These are not covered by this certificate.
- (11) When applying the CE Marking to the products that conform to the types examined, the client is obliged to add, in accordance with the attached pattern, the identification number of the Notified Body engaged in production control.

C€ 0158

(12) This EC-Type Examination certificate is valid until 2021-05-30.

DEKRA EXAM GmbH Bochum, 2016-05-31

signed: Wiegand
Certification body
Special services unit

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

Certification body

Special services unit

Page 1 of 2 of ZP/B147/15 This certificate may only be published in its entirety and without any change.

- (13) Appendix to
- (14) EC-Type Examination Certificate ZP/B147/15
- (15)15.1 Subject and Type Anchor device type B Type: LOCK 11/-13

15.2 Description

The anchor device type B, type Lock 11/ -13 (Fig. 1 and Fig. 2) is a temporary, removable single anchor point and is used in conjunction with an appropriate threaded bushing to protect two people maximum against falls from a height. The anchor device consists of the components pin with eyelet (Lock 11 - Fig. 1) and the threated bushing (Lock 13 - Fig. 2).

The stepped bolt (Ø 12 mm) is provided at the end with balls. The length of the bolt is 58 mm. The bolt can be locked and unlocked by means of the balls and a related mechanism. An inside spring-loaded bolt is activated by pushing on the head side of the cotter pin, and the anchor device can be removed.

The anchor device is made of stainless steel and intended for bearing a load being exerted from all directions.

The assembly to a building or structure is done by means of a threaded bushing that has been installed in advance provided with an external M22 thread made of corrosion-resistant steel.



Fig. 1: Pin with eyelet



Fig. 2: Bushing (shown here without external threat)

(16) Test and Assessment Report

PB 15-209 dd. 2016-05-30

Page 2 of 2 of ZP/B147/15