

(1) Type Examination Certificate

(2) No. of the Type Examination Certificate: **ZP/B151/18**

(3) Product: **Anchor device type A**
Type: TAURUS-SCE

(4) Manufacturer: **INNOTECH Arbeitsschutz GmbH**

(5) Address: **Laizing 10, 4656 Kirchham, Austria**

(6) The design of this product and any acceptable variation thereto are specified in the schedule to this type examination certificate.

(7) The certification body of DEKRA EXAM GmbH certifies that this product comply with the fundamental requirements of the standard listed under item 8 below. The examination and test results in the test and assessment report PB 18-124.

(8) The requirements of the standard are assured by compliance with

DIN EN 795:2012

DIN 19572:2016

(9) This Type Examination Certificate relates only to the design, examination and tests of the specified product in accordance to the standard list. Further requirements of the Directive apply to the manufacturing process and supply of this personal protective equipment. These are not covered by this certificate.

(10) This Type Test Certificate is valid until 2023-07-24.

DEKRA EXAM GmbH
Bochum, 2018-07-25

signed: Wiegand
Certification body

signed: Mühlenbruch
Special services unit

We confirm the correctness of the translation from the German original.
In the case of arbitration only the German wording shall be valid and binding.


Certification body


Special services unit

TRANSLATION

- (11) Appendix to
- (12) **Type Examination Certificate
ZP/B151/18**
- (13) 13.1 Subject and Type
Anchor device type A
Type: TAURUS-SCE

13.2 Description

The anchor device and stationary holding device, type: TAURUS-SCE (fig. 1) serves as a mount for retractable type fall arresters with rescue stroke function according to DIN EN 360 and DIN EN 1496:2017, type: IKAR-HRA 12 and is intended for the entry and exit in shafts and openings.

The anchor device and holding device consist of corrosion-resistant steel. It is installed on sufficiently strong rungs of ladders. The mounting bracket TAURUS-SCE-10 (fig. 2) is equipped with a retaining bracket (retaining bracket for IKAR 41-HRA 12E) (fig. 3) which holds the retractable type fall arrester. The lanyard of the retractable type fall arrester is deflected via pulleys in the head of the mounting bracket (fig. 4) and thus serves to secure a person against falls from a height.

On the front side of the mounting bracket, the anchor line of the guided type fall arrester including a rigid anchor line, type: Taurus is mounted.

Moreover, handles for climbing up and down are attached to the mounting bracket. The mounting bracket is mounted in a previously at the ladder installed pivot mount so that the user can climb on the holding device from a safe footing.




Fig. 1: Anchor device and holding device, type: TAURUS-SCE

TRANSLATION



Fig. 2: Mounting bracket,
type: TAURUS-SCE-10



Fig. 3: Retaining bracket, type: retaining bracket IKAR 41-HRA 12E and retractable type fall arrester with rescue lifting device, type: IKAR HRA 12



Fig. 4: Pulleys / Rescue attachment ZB

(14) Test and Assessment Report

PB 18-124 dd. 2018-07-25