Golvlampa LUCTRA® VITAWORK® UP 12 EU

Artikelnummer	3940140	**Antal per säljenhet**	1 Set
Färg	Silvermetallic / Svart	**EAN per säljenhet**	4005546743967
Antal per frp	styck	**Bruttovikt per säljenhet**	16700 G
EAN per basenhet	4005546743967	**Ursprungsland**	DE





Logotyper och priser

Produktbeskrivning

- Fristående LED-armatur med dagsljuskaraktär – för visuell komfort, estetik och ergonomi på kontoret.
- 12.000 lm för belysning av kontorsytor upp till ca. 16 m² – med optimerad energiförbrukning
- Dubbel asymmetrisk ljusfördelning för jämn och djup belysning av rummet
- Förbättrad visuell komfort för minskad ögonbelastning - ökad produktivitet och välmående
- Optimal ljuskvalitet med färgtemperatur 4.000 K och färgåtergivning Ra > 80
- Individuellt justerbar – separat kontroll av direkt och indirekt ljus
- Automatisk sensorteknik sparar energi och minskar driftskostnaderna
- Platt U-formad armaturfot – idealisk för vanliga skrivbord
- IEC-kontakt för flexibel placering samt enkelt underhåll och utbyte
- Tillverkad i Tyskland

LUCTRA® is a brand of
DURABLE Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77 – 79 · 58636 Iserlohn · Germany
Phone +49 (0) 2371 662 0 · Fax +49 (0) 2371 662 221
Mail durable@durable.de | durable.de

The statements contained herein are for informational purposes only and are true and accurate to the best of our scientific and technical knowledge. This information does not constitute a guarantee or warranty, express or implied, nor does it establish a legally valid contractual relationship. It is the customer's responsibility to determine the suitability of this product for the customer's intended use. DURABLE does not assume any liability for the customer's use of this product or the information contained herein.

TÜVRheinland CERTIFIED
Management System
ISO 14001:2015
ISO 9001:2015
www.tuv.com
ID 0091005181

Golvlampa LUCTRA® VITAWORK® UP 12 EU

Specifikationer

Utvändig bredd (mm)	540
Utvändig höjd (mm)	2035
Utvändig djup / längd	430 mm
Varumärke	LUCTRA®
Antal lamphuvuden	1
Designer	Yellow design, Prof. Günter Horntrich
Höjd på lamphuvud 1 (mm)	21
Bredd på lamphuvud 1 (mm)	540
Kabellängd (mm)	3000
Djup på lamphuvud 1 (mm)	370
Stickkontakttyp	Typ C
Antiglid	Ja
Frisläppningshöjd (mm)	2029
Typ av fäste	C-formad bas / fot
Ljusriktning	Direkt / indirekt
Ljusdistribution direkt	Asymmetrisk
Ljusdistribution indirekt	Asymmetrisk
Max ljusflöde (lm), totalt	12000
Max ljusflöde (lm), direkt	1500
Max ljusflöde (lm), indirekt	10500
Färgtemperatur	4000 K
Ljusfärg	Neutral vit
Human Centric Lighting / Biologiskt Effektiv Ljus	Nej
Färgåtergivning	CRI (Ra) ≥ 80
Färgtolerans	< 3 SDCM
Bländtal UGR	≤ 12
LED	Ja
Elsladd	Utbytbar av tillverkare / specialist
Dimbar	Ja
Upp / nedljus separat dimbar	Ja

LUCTRA® is a brand of
DURABLE Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77 – 79 · 58636 Iserlohn · Germany
Phone +49 (0) 2371 662 0 · Fax +49 (0) 2371 662 221
Mail durable@durable.de | durable.de

The statements contained herein are for informational purposes only and are true and accurate to the best of our scientific and technical knowledge. This information does not constitute a guarantee or warranty, express or implied, nor does it establish a legally valid contractual relationship. It is the customer's responsibility to determine the suitability of this product for the customer's intended use. DURABLE does not assume any liability for the customer's use of this product or the information contained herein.

TÜVRheinland CERTIFIED
Management System
ISO 14001:2015
ISO 9001:2015
www.tuv.com
ID 0091005181

Golvlampa LUCTRA® VITAWORK® UP 12 EU


Justerbar ljusstyrka	Steglös
Närvarosensor	Infraröd
Ljussensor	Ja
Material pekskärm	Plast
Belysning på pekskärm	Ja
Typ av operation	Touchpanel
Standby-förbrukning	0.5
Ljusutbyte (lm/w)	> 152
Effekt (W)	79
IP-klass	I
IP-beteckning	IP 20
Stand-by-läge	Nej
Energiklass	B
Energiklass	B
EPREL regnr direkt	2164894
EPREL regnr indirekt	2232849

LUCTRA® is a brand of
DURABLE Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77 – 79 · 58636 Iserlohn · Germany
Phone +49 (0) 2371 662 0 · Fax +49 (0) 2371 662 221
Mail durable@durable.de | durable.de

The statements contained herein are for informational purposes only and are true and accurate to the best of our scientific and technical knowledge. This information does not constitute a guarantee or warranty, express or implied, nor does it establish a legally valid contractual relationship. It is the customer's responsibility to determine the suitability of this product for the customer's intended use. DURABLE does not assume any liability for the customer's use of this product or the information contained herein.

TÜVRheinland CERTIFIED
Management System
ISO 14001:2015
ISO 9001:2015
www.tuv.com
ID 0091005181


LIGHT DISTRIBUTION CURVE



LUCTRA® is a brand of
DURABLE Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77 – 79 · 58636 Iserlohn · Germany
Phone +49 (0) 2371 662 0 · Fax +49 (0) 2371 662 221
Mail durable@durable.de | durable.de

The statements contained herein are for informational purposes only and are true and accurate to the best of our scientific and technical knowledge. This information does not constitute a guarantee or warranty, express or implied, nor does it establish a legally valid contractual relationship. It is the customer's responsibility to determine the suitability of this product for the customer's intended use. DURABLE does not assume any liability for the customer's use of this product or the information contained herein.

TÜVRheinland CERTIFIED
Management System
ISO 14001:2015
ISO 9001:2015
www.tuv.com
ID 0091005181



LUCTRA® is a brand of
DURABLE Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77 – 79 · 58636 Iserlohn · Germany
Phone +49 (0) 2371 662 0 · Fax +49 (0) 2371 662 221
Mail durable@durable.de | durable.de

The statements contained herein are for informational purposes only and are true and accurate to the best of our scientific and technical knowledge. This information does not constitute a guarantee or warranty, express or implied, nor does it establish a legally valid contractual relationship. It is the customer's responsibility to determine the suitability of this product for the customer's intended use. DURABLE does not assume any liability for the customer's use of this product or the information contained herein.

TÜVRheinland CERTIFIED
Management System
ISO 14001:2015
ISO 9001:2015
www.tuv.com
ID 0091005181