



according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier** BlauDes Aerosol · Product name: · Product codes: 15882, 15883 Relevant identified uses of the substance or mixture and uses advised against 1.2 · Identified uses of the substance or mixture Disinfectant, biocide 1.3 Details of the supplier of the safety data sheet Albert Kerbl GmbH Felizenzell 9 D-84428 Buchbach www.kerbl.com Tel.: 0049-(0)8086-933-100 E-Mail: info@kerbl.com · Responsible Department: Albert Kerbl GmbH Tel.: 0049-(0)8086-933-104 E-Mail: bm@kerbl.com 1.4 **Emergency telephone number:** Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen c/o HELIOS Klinikum Erfurt Nordhäuser Straße 74 Tel.: (03 61) 73 07 30 - Fax: (03 61) 7 30 73 17 E-Mail: ggiz@ggiz-erfurt.de - Internet: www.ggiz-erfurt.de 2 Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Nr. 1272/2008 Aerosol: Aerosol 1 (H222, H229) Serious eye damage/eye irritation: Eye Irrit. 2 (H319) Specific target organ toxicity (single exposure): STOT SE 3 (H336) Classification according to Directives 67/548/EEC and 1999/45/EC F+ - Extremely flammable,

Xi - Irritant

#### 2.2 Label elements

Danger

Label elements according to Regulation (EC) Nr. 1272/2008 (CLP/GHS) Hazard pictograms





## according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Product name: BlauDes Aerosol

Product codes: 15882, 15883

#### Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container according to local regulations.

#### Others:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

#### Label elements according to Directives 67/548/EEC and 1999/45/EC

F+ - Extremely flammable, Xi - Irritating

#### **Risk phrases**

R12 Extremely flammable.R36 Irritating to eyes.R67 Vapours may cause drowsiness and dizziness.

#### Safety phrases

S2 Keep out of the reach of children. S16 Keep away from sources of ignition - No smoking. S23 Do not breathe aerosol S51 Use only in well-ventilated areas.

#### 2.3 Other hazards

None



## according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Product name: BlauDes Aerosol

Product codes: 15882, 15883

## 3 Composition/information on ingredients

lodine

#### **Chemical Characterization: Mixtures**

Hazardous ingredients:

| CAS: 67-63-0                               | 2-PROPANOL, Isopropanol  | 30-60 % |
|--|--|---------|
| EC-Nr. 200-661-7<br>Index-Nr. 603-117-00-0 | Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336<br>F : R11 Xi : R36 R67 |         |
| Index-INI: 003-117-00-0                    |  |         |

Acute Tox. 4 ; H312 Acute Tox. 4 ; H332

<0,5 %

#### Additional information:

Index-Nr. 053-001-00-3

CAS: 7553-56-2

EC-Nr. 231-442-4

The wording of the listed risk phrases and hazard statements refer to section 16.

Aquatic Acute 1 ; H400 N ; R50 Xn ; R20/21

### 4 First aid measures

#### 4.1 Description of first aid measures

#### · General information:

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

#### · Inhalation:

Move to fresh air. If symptoms persist, call a physician.

#### · Skin contact:

Remove immediately any soiled or splashed garment. Rinse abundantly in the water and in the soap. Clean clothes separately before reusing them. Consult a doctor in case of persistent pain.

## · Eye contact:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### Ingestion:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the person exposed at rest. Do not force vomiting. Seek medical attention, showing the label. If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# **4.2 Most important symptoms and effects, both acute and delayed** No data available.

#### **4.3 Indication of any immediate medical attention and special treatment needed** None



## according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Product name: BlauDes Aerosol

Product codes: 15882, 15883

## 5 Firefighting measures

#### 5.1 Extinguishing media

Suitable methods of extinction - In the event of a fire, use: sprayed water or water mist, foam, multipurpose ABC powder, BC powder, carbon dioxide (CO2) Unsuitable methods of extinction - In the event of a fire, do not use: water jet

**5.2** Special hazards arising from the substance or mixture Extremely flammable aerosol. Pressurised container: May burst if heated. A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke. In the event of a fire, the following may be formed: carbon monoxide (CO), carbon dioxide (CO2)

#### 5.3 Advice for firefighters

**Special protective equipment**: Wear self-contained breathing apparatus. **Further information** 

Cool endangered containers with water spray jet.

Dispose fire residues and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected people away. Keep people away and stay on the upwind side. Keep ignition sources away. No smoking. Consult the safety measures listed under headings 7 and 8.
- **6.2 Environmental precautions:** Avoid unnecessary release to the environment. Prevent any material from entering drains or waterways. In case of entry into waterways, soil or drains, inform the responsible authorities.
- **6.3 Methods and material for containment and cleaning up:** Collect spillage. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ensure adequate ventilation.

#### **6.4 Reference to other sections** Informationen regarding safe handling see chapter 7. Informationen regarding personal protection see chapter 8. Informationen regarding disposal see chapter 13.



## according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

#### Product name: BlauDes Aerosol

Product codes: 15882, 15883

### 7 Handling and storage

#### 7.1 Precautions for safe handling

Ensure that there is adequate ventilation, especially in confined areas. Open and handle container with care.

#### Fire prevention:

Keep ignition sources away - Do not smoke. Take precautionary measures against static discharges. Pressurized container. Protect from sunlight and temperatures above 50 ° C (eg by Electric lights). Do not open by force or burn even after use. Do not spray in flames or on hot surfaces.

#### 7.2 Conditions for safe storage, including any incompatibilities Storage

#### · Requirements for storage rooms and vessels:

Store in a cool place. Official regulations on storing pressurized containers must be observed. Storage room must be suitable for pesticide storage. Store away from oxidizing agents. Store away from food and feedstuffs.

#### Further information about storage conditions:

Store in tightly closed containers in a cool, dry place. Protect from heat and direct sunlight. Ensure adequate ventilation. Do not close containers gas-tight. Store under lock or only for authorized persons.

Recommended storage temperature: 10-40 ° C Storage class: No data available.

7.3 Specific end use(s) Keep out of reach of children.

## 8 Exposure controls/personal protection

#### 8.1 Control parameters

| Occupational exposure limits |             | Exposure |       |       |              |
|------------------------------|-------------|----------|-------|-------|--------------|
|                              | Country     | limit    | ml/m³ | mg/m³ | Remarks      |
| 64-17-5 Ethanol              | D, TRGS 900 | AGW      | 500   | 960   | 2(II);DFG, Y |
|                              | UK, WEL     | TWA      | 1000  | 1920  | 8 h          |
|                              | F, INRS     | VME      | 1000  | 1900  | 8 h          |
|                              |             | VLE      | 5000  | 9500  | 15 min       |
| 106-97-8 Butan               | D, TRGS 900 | AGW      | 1000  | 2400  | 4(II);DFG    |
|                              | UK, WEL     | TWA      | 600   | 1450  | 8 h          |
|                              |             | STEL     | 750   | 1810  | 15 min       |
|                              | F, INRS     | VME      | 800   | 1900  | 8 h          |
| 67-63-0 Propan-2-ol          | D, TRGS 900 | AGW      | 200   | 500   | 2(II);DFG, Y |
| -                            | UK, WEL     | TWA      | 400   | 999   | 8 h          |
|                              |             | STEL     | 500   | 1250  | 15 min       |
|                              | F, INRS     | VLE      | 400   | 980   | 15 min       |
| 74-98-6 Propan               | D, TRGS 900 | AGW      | 1000  | 1800  | 4(II);DFG    |
| •                            | UK, WEL     | TWA      | 1000  | 1800  | 8 h          |
| 75-28-5 Isobutan             | D, TRGS 900 | AGW      | 1000  | 2400  | 4(II);DFG    |



according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015 Revision number 2.1 Version date: 11.05.2015 Product codes: 15882, 15883

### Product name: BlauDes Aerosol

| <b>Biological limits</b> | Country     | mg/l | Remarks .                             |
|--------------------------|-------------|------|---------------------------------------|
| 67-63-0 Propan-2-ol      | D, TRGS 903 | 25   | Acetone, Blood, end of shift/exposure |
| -                        |             | 25   | Acetone, Urine, end of shift/exposure |

#### 8.2 Exposure controls / Personal protection:

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas. Wash your hands before breaks and after work.

#### Eye / face protection

Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles with protective sides accordance with standard EN166. In the event of high danger, protect the face with a face shield. When spraying, wear a face shield in accordance with standard EN166. Prescription glasses are not considered as protection. Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours. Provide eyewash stations in facilities where the product is handled constantly.

#### Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact. Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374. Gloves must be selected according to the application and duration of use at the workstation. Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Type of gloves recommended :
- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :
- Impervious gloves in accordance with standard EN374

#### Skin protection (other than of the hands)

Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

#### **Respiratory protection**

In case of insufficient ventilation wear suitable respiratory protection.

#### Thermal hazards

Pressurised container: May burst if heated.

#### Exposure controls regarding environmental protection

No data available.



## according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

## Product name: BlauDes Aerosol

Product codes: 15882, 15883

## **9** Physical and chemical properties

| 9.1 | Information on basic physical and chemical properties <ul> <li>General Information</li> <li>Appearence:</li> </ul> |                        |  |
|-----|--|------------------------|--|
|     | Form:  | Aerosol                |  |
|     | Colour:  | blue                   |  |
|     | · Odour:   | solvent-like           |  |
|     | · Smell Threshold:   | not determined         |  |
|     | · pH:  | not determined         |  |
|     | · Change of state  |                        |  |
|     | Melting point/range:   | not determined         |  |
|     | Boiling point/range:   | -44 °C                 |  |
|     | · Flash point:   | < -30 °C               |  |
|     | <ul> <li>Flammability (solid, gas):</li> </ul>   | not applicable         |  |
|     | <ul> <li>Ignition temperature:</li> </ul>  | 365 °C                 |  |
|     | <ul> <li>Thermal decomposition:</li> </ul>   | not determined         |  |
|     | · Autoinflammability:  | not self-flammable     |  |
|     | · Explosion hazard:  | not determined         |  |
|     | · Explosion limits:  |                        |  |
|     | Lower:   | 3.5 Vol%               |  |
|     | Upper:   | 15.0 Vol%              |  |
|     | <ul> <li>Vapour pressure at 20 °C:</li> </ul>  | 59 hPa                 |  |
|     | · Density:   | not determined         |  |
|     | · Bulk density   | not determined         |  |
|     | · Vapour density   | not determined         |  |
|     | · Evaporation rate   | not applicable         |  |
|     | <ul> <li>Solubility / miscibility<br/>Water:</li> </ul>  | not or little miscible |  |
|     |  | not determined         |  |
|     | • Partition coefficient (n-Octanol/Water):   |                        |  |
|     | · Viscosity:   | not determined         |  |
|     | <ul> <li>Oxidising properties</li> </ul>   | not determined         |  |
| 9.2 | Other information<br>No data available.  |                        |  |

## **10 Stability and reactivity**

10.1 Reactivity Heating may cause a fire or explosion.

- **10.2 Chemical stability** This mixture is stable under the recommended handling and storage conditions in section 7.
- 10.3 Possibility of hazardous reactions Formation of explosive gas mixtures with air.
- 10.4 Conditions to avoid:

Sunlight. High temperatures. Keep away from sources of ignition.

10.5 Incompatible materials: Reacts with strong oxidants.

10.6 Hazardous decomposition products: None when used as intended.



### according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Product name: BlauDes Aerosol

Product codes: 15882, 15883

## **11 Toxicological information**

11.1 Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values relevant for classification:

| 67-63-0    | 2-PROPANOL |                     |  |
|------------|------------|---------------------|--|
| Oral       | LD-50      | 5,84 mg/kg (Rat)    |  |
| Dermal     | LD-50      | 16,4 mg/kg (Rabbit) |  |
| Inhalation | LC50       | > 10000 mg/l (Rat)  |  |

#### Irritation and corrosivity:

Slight irritation of eyes and skin is not ruled out, based on the product composition.

#### Sensitisation and repeated dose toxicity:

No sensitizing effects known.

## Carcinogenicity, mutagenicity, and toxicity for reproduction (CMR):

Based on available data, the classification criteria are not met

#### Additional toxicological information:

Inhalation of concentrated vapors as well as oral intake will lead to anesthesia-like conditions and headache, dizziness, etc. Has a degreasing effect on the skin!

## **12 Ecological information**

#### 12.1 Toxicity

Aquatic Toxicity:

| 7553-56-2 | lodine                    |
|-----------|---------------------------|
| LC-50     | 1.67 mg/l (Fish, 96 h)    |
| EC-50     | 1.67 mg/l (Algae, 72 h)   |
| EC-50     | 1.67 mg/l (Daphnia, 48 h) |

12.2 Persistence and degradability Readily biodegradable.

**12.3 Bioaccumulative potential** The product is not bioaccumulative.

| 7553-56-2 | lodine |  |  |
|-----------|--------|--|--|
| Log Pow   | 2.49   |  |  |

**12.4 Mobility in soil** No data available.

12.5 Results of PBT and vPvB assessment The mixture does not meet the criteria for PBT or vPvB.

#### 12.6 Other adverse effects No data available.

Additional ecological information No data available.



## according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Product name: BlauDes Aerosol

Product codes: 15882, 15883

### **13 Disposal considerations**

#### 13.1 Waste treatment methods

#### **Recommendation:**

Must not be disposed together with household garbage. Do not empty into drains. Must be supplied to an authorized hazardous waste incineration plant, after pretreatment, in accordance with regulations for special waste.

#### European waste catalog

The listed (n) waste number (s) according to the European Waste Catalogue (EWC), are a recommendation. A final decision must be taken in agreement with the regional waste management company.

16 05 04\* gases in pressure containers, containing hazardous substances (including halons) **Uncleaned packaging:** 

Recommendation: Disposal according to official regulations.

## **14 Transport information**

| 14.1 UN number<br>· ADR/RID, ADN, IMDG, ICAO/IATA                             | UN1950  |  |  |
|---|---|--|--|
| 14.2 UN proper shipping name<br>· ADR/RID, ADN<br>IMDG<br>· ICAO/IATA         | AEROSOLS<br>AEROSOLS<br>AEROSOLS, flammable                           |  |  |
| 14.3 Transport hazard class(es)<br>· ADR/RID, ADN, IMDG, ICAO/IATA            | 2.1   |  |  |
| Classification code<br>· ADR/RID, ADN   | 5F  |  |  |
| Special Provisions<br>· ADR/RID, ADN<br>· IMDG<br>· ICAO/IATA                 | 190, 327, 344, 625<br>63, 190, 277, 327, 344, 959<br>A145, A167, A802 |  |  |
| 14.4 Packing group  | none  |  |  |
| 14.5 Environmental hazards  | none  |  |  |
| 14.6 Special precautions for user   |   |  |  |
| EmS   | F-D, S-U  |  |  |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code |   |  |  |
|   | Not applicable.   |  |  |
|   |   |  |  |



### according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 11.05.2015

Revision number 2.1

Version date: 11.05.2015

Product name: BlauDes Aerosol

Product codes: 15882, 15883

### **15 Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

None

National Regulations

#### Germany: Wassergefährdungsklasse (WGK)

Klasse : 1 (Schwach wassergefährdend) Einstufung gemäß VwVwS

15.2 Chemical safety assessment: No data available

### **16 Other information**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### **Revision notes**

\* Changes since the last version

#### Abbreviations

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

#### Title for H, EUH and R indications (Number and text)

H222 Extremely flammable aerosol. H224 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. R11 Highly flammable. R12 Extremely flammable. R20/21 Harmful by inhalation and in contact with skin. R36 Irritating to eves. R50 Very toxic to aquatic organisms. R51 Toxic to aquatic organisms. R53 May cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness and dizziness.

# Methods of evaluating information referred to in Article 9 of Regulation (EC) No 1272/2008 for the purpose of classification

Classification based on the components