

# Premium 350 - Inox



## **PREMIUM 350 VACUUM PACKING MACHINE**

These are **professional machines** recommended for small retail shops. They represent the first step in the professional field of food packaging.

Long time **reliable** and **compact** machines, they can be used to pack food "live" in front of customers, with consequent benefits in terms of service and **image**.

Their solid stainless steel structure and the digital control panel with working cycle selection "manual/automatic" make this series the most successful solution for the retail distribution of food

They are recommended for any product with a limited % of humidity (Ham, cheese, coffee etc..).

**Overall dimensions** 370x260x130 h

Sealing bar mm 350

Vacuum Pump Q = 20/24 LT/MIN

Voltage 230 V/50-60 Hz

Absorption 250 W



# Premium 400 - Inox



## **PREMIUM 400 VACUUM PACKING MACHINE**

These are **professional machines** recommended for small retail shops. They represent the first step in the professional field of food packaging.

Long time **reliable** and **compact** machines, they can be used to pack food "live" in front of customers, with consequent benefits in terms of service and **image**.

Their solid stainless steel structure and the digital control panel with working cycle selection "manual/automatic" make this series the most successful solution for the retail distribution of food

They are recommended for any product with a limited % of humidity (Ham, cheese, coffee etc..).

**Overall dimensions** 420x260x130 h

Sealing bar mm 400

Vacuum Pump Q = 20/24 LT/MIN

**Voltage** 230 V/50-60 Hz

Absorption 270 W



# Premium 450 - Inox



## **PREMIUM 450 VACUUM PACKING MACHINES**

These are **professional machines** recommended for small retail shops. They represent the first step in the professional field of food packaging.

Long time **reliable** and **compact** machines, they can be used to pack food "live" in front of customers, with consequent benefits in terms of service and **image**.

Their solid stainless steel structure and the digital control panel with working cycle selection "manual/automatic" make this series the most successful solution for the retail distribution of food

They are recommended for any product with a limited % of humidity (Ham, cheese, coffee etc..).

**Overall dimensions** 470x240x130 h

Sealing bar mm 450

Vacuum Pump Q = 20/24 LT/MIN

Voltage 230 V/50-60 Hz

Absorption 300 W



# Premium 500 - Inox



## **PREMIUM 500 VACUUM PACKING MACHINE**

These are **professional machines** recommended for small retail shops. They represent the first step in the professional field of food packaging.

Long time **reliable** and **compact** machines, they can be used to pack food "live" in front of customers, with consequent benefits in terms of service and **image**.

Their solid stainless steel structure and the digital control panel with working cycle selection "manual/automatic" make this series the most successful solution for the retail distribution of food

They are recommended for any product with a limited % of humidity (Ham, cheese, coffee etc..).

**Dimensioni d'ingombro** 520x240x130 h

Barra saldante mm 500

Pompa del vuoto Q = 40/48 LT/MIN

**Tensione** 230 V/50-60 Hz

Absorption 450 W