




VISTA FRONTALE  
FRONT VIEW



VISTA LATERALE  
SIDE VIEW



SEZ. A-A  
SECTION A-A




MATERIALI & FINITURE:

- PIANO IN METALLO FINITURA NERO OPACO / CROMATO PVD ORO LUCIDO
- COLLARE DIFFUSORE IN PELLICOLA DI POLICARBONATO OPALINO
- CORNICE SPECCHIO IN ACCIAIO INOX LUCIDATO / OTTONE / METALLO VERNICIATO NERO OPACO
- BASE E STELO IN METALLO CROMATO / PVD ORO / METALLO VERNICIATO NERO OPACO

MATERIALS & FINISHING:

- METAL SHELF IN THE FOLLOWING FINISHES: BLACK MAT FINISH / CHROMIUM PLATING / PVD GLOSS GOLD
- COLLAR LAMPSHADE IN WHITE OPALINE POLYCARBONATE WINDING
- MIRROR ROUND FRAME IN CHROMIUM FINISH METAL / BRASS / VARNISHED METAL IN BLACK MAT FINISH
- BASE & STEM IN CHROMIUM FINISH METAL / PVD GOLD / VARNISHED METAL IN BLACK MAT FINISH






VISTA IN PIANTA  
TOP VIEW



**PANNELLO RETRO SPECCHIO**  
**MIRROR BACK PANEL**

posizione strisce di  
aggancio a muro

wall hanging  
brackets – height  
from ground line



Art. GCMW241KA posto lavoro KATHERINE COLLAR WALL GOLD 18 CON FORI PIANO scala 1 : 20  
Art. GCMW241KA styling unit KATHERINE COLLAR WALL GOLD 18 WITH SHELF scala 1 : 20

formato  
**A4**

Strip 96 led/mt, 2570 lm/mt, (Bianco Caldo) 14.9W/mt 24V IP20  
con cavo d'uscita lunghezza 60 cm cod.05850

Strip 96 led/mt, 2570 lm/mt, (Warm White) 14.9W/mt 24V IP20  
with exit wire lenght 60 cm cod.05850

Collare in pellicola di polycarbonato opalino smontabile  
Collar lampshade in detachable white opaline polycarbonate winding

USCITA CAVI A MURO  
ELECTRIC WIRE XIT HEIGHT  
N° 1 CAVO SEZIONE 3 X 1.5  
alimentazione specchi LED  
N° 1 WIRE SECTION 3 X 1.5  
mirror strip LED feeding

diffusore luminoso in fascia di PMMA opalino smontabile  
lampshade in detachable white opaline acrylic glass stripe







N° 1 CAVO SEZIONE 3 X 1.5  
alimentazione specchi LED  
N° 1 WIRE SECTION 3 X 1.5  
mirror strip LED feeding

Alimentatore 24 Vdc 100W  
Classe I MeanWell  
Power Supply 24 Vdc 100W  
Class I MeanWell

Alimentatore 24 Vdc 100W Classe I MeanWell  
Power Supply 24 Vdc 100W Classe I MeanWell

sportello amovibile per ispezione e sostituzione alimentatore  
detachable lower door for power supply replacemnet

140  
[55 1/4"]



GAMMABROSS S.p.A.

Art. GCMW241KA posto lavoro KATHERINE COLLAR WALL GOLD 18 CON FORI PIANO scala 1 : 20  
Art. GCMW241KA styling unit KATHERINE COLLAR WALL GOLD 18 WITH SHELF scala 1 : 20

formato  
A4