

Dryblock over-counter

JUICE M

INSIGHT

Overcounter unit with dry block for cooling and dispensing noncarbonated soft drinks.
Ready for use 30-60 minutes after power on, depending on the size of the cooling device and the ambient temperature.
Bag in Box - External

STANDARD CONFIGURATION


Control type: Electronic
Coils: The number of installed cooling coils is 3 (Syrup) + 1 (Water)
Casing: PVC coated steel
Condenser: Air - steel construction

OPTIONS

Casing: Stainless steel
Front door: Brending

CAPACITY RATES *

All specifications (data) about compressors: condensing temperature ($T_{cond}=55^{\circ}\text{C}$), evaporating temperature ($T_{ev}=0^{\circ}\text{C}$), ambient temperature ($T_{amb}=23,9^{\circ}\text{C}$) and relative humidity $65\pm 5\%$.
All capacities and dispense rates are based on ASHRAE standard 32.2-2018 (Ra2022): for $23,9^{\circ}\text{C}$ Ambient, 24°C juice ingoing and dispensing temperature $3-5^{\circ}\text{C}$.



SPECIFICATIONS		JUICE M E31 MM
Cooling:		
Compressor	5,60 cc / 1/4 HP	
Coolant type	R290	
Cooling power	563 W 2010 kJ/h	
Cooling capacity *:		
Temperature	Δt= 20°C	
Continuing capacity	26 l	
Continuing capacity 1 st hour	-	
Water tank		
Tank capacity	-	
Ice Bank	-	
Dry block	yes	
Electrical		
Main supply	220 - 240 V / 50/60Hz	
Power / Run	0,28 kW / 1,62 A	
Plug	EU - Type - F	
Dimensions of cooler: (unit dimensions / overall dimensions)		
Width	399 mm	
Depth	574 mm	
Height	464 mm	
Weight	38 kg	