according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name Registration number (REACH) Other means of identification Item code

SOLUTION ADHESIVE

not relevant (mixture)

YL005

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Relevant identified uses
 SU21 : consumer uses: private hour

SU21 : consumer uses: private households (= general public = consumers) PC39 : cosmetics, personal care products

1.3 Details of the supplier of the safety data sheet

YUMI BEAUTY ORIGINAL COSMETICS ZAC des murons 42160 Andrezieux Telephone: +33 (0)4 77 25 12 26

e-mail: r.roullier@yumi-beauty.com

1.4 Emergency telephone number

Emergency information service

Autralia : 13 11 26 Austria: +43 1 31304 5620; Belgium : +32022649636; Bulgaria : +359 2 9154 409; Croatia: +38514686917; Cyprus : +35722405611; Czech republic tel : +420267082257; Denmark : +45 72 54 40 00; Estonia : +3726943884; Finland : +358 5052 000; France : + 33 (0)1 45 42 59 59; Germany : +49-30-18412-0; Greece: +302106479250, +302106479450; Hungary : +36 1 476 6464; Iceland : +354 543 22 22; Ireland : +35318092566; Italy:+390649906140; Latvia : +371 67032600; Lithuania : +370 70662008; Luxembourg : +352 24785551; Malta : +356 2395 2000; Netherlands : +31 88 75 585 61; New zealand : 0800 764 766 or 0800 611 116; Norway: +4573580500; Poland : +48 42 2538 400; Portugal: +351213303271; Romania : +40213183606; Slovakia : +421 2 5465 2307; Slovenia: +38614006051; Spain : +34 917689800; Sweden: +46104566750; United kingdom : +44 121 507 4123; USA : 1-800-222-1222.

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Date of compilation: 2019-12-12

Version number: GHS 1.0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
2.6	flammable liquid	Cat. 2	(Flam. Liq. 2)	H225
3.3	serious eye damage/eye irritation	Cat. 2	(Eye Irrit. 2)	H319

Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Signal word Danger

Pictograms

GHS02, GHS07



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Precautionary statements

Precautionary statements - general

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

yes

Additional labelling requirements

Tactile warning of danger

2.3 Other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Notes
Ethyl alcohol	CAS No 64-17-5 EC No 200-578-6 REACH Reg. No 01-2119457610-43- xxxx	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		OEL
tert-butyl alcohol	CAS No 75-65-0 EC No 200-889-7 REACH Reg. No 01-2119444321-51- xxxx	<1	Flam. Liq. 2 / H225 Acute Tox. 4 / H332 Eye Irrit. 2 / H319 STOT SE 3 / H335		GHS- HC

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

OEL: Substance with a national occupational exposure limit value

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

4.2

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

water spray, BC-powder, carbon dioxide (CO2) **Unsuitable extinguishing media**

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Date of compilation: 2019-12-12

Version number: GHS 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

· Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

• Warning

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

• Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	ldentifi- er	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Source	wt%
GB	ethanol	64-17-5	WEL	1,000	1,920			EH40/ 2005	25 - < 50
GB	2-methylpropan-2-ol	75-65-0	WEL	100	308	150	462	EH40/ 2005	<1

Notation STEL

_ Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

Notation

TWA

(unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels • relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Ethyl alcohol	64-17-5	DNEL	1,900 mg/m ³	human, inhalatory	worker (in- dustry)	acute - local effects
Ethyl alcohol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
Ethyl alcohol	64-17-5	DNEL	950 mg/m ³	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects
tert-butyl alcohol	75-65-0	DNEL	214 mg/m ³	human, inhalatory	worker (in- dustry)	acute - systemic ef- fects
tert-butyl alcohol	75-65-0	DNEL	5.5 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
tert-butyl alcohol	75-65-0	DNEL	2.7 mg/m ³	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

• relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
Ethyl alcohol	64-17-5	PNEC	580 ^{mg} / _l	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
Ethyl alcohol	64-17-5	PNEC	3.6 ^{mg} / _{kg}	benthic organisms	sediments	short-term (single in- stance)
Ethyl alcohol	64-17-5	PNEC	0.96 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Ethyl alcohol	64-17-5	PNEC	0.79 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Ethyl alcohol	64-17-5	PNEC	580 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
Ethyl alcohol	64-17-5	PNEC	3.6 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single in- stance)
Ethyl alcohol	64-17-5	PNEC	2.75 ^{mg} / _l	aquatic organisms	water	intermittent release
Ethyl alcohol	64-17-5	PNEC	0.63 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
tert-butyl alcohol	75-65-0	PNEC	6.64 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
tert-butyl alcohol	75-65-0	PNEC	0.664 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
tert-butyl alcohol	75-65-0	PNEC	690 ^{mg} / _l	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
tert-butyl alcohol	75-65-0	PNEC	5.8 ^{mg} / _{kg}	benthic organisms	sediments	short-term (single in- stance)

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
tert-butyl alcohol	75-65-0	PNEC	0.58 ^{mg} / _{kg}	pelagic organisms	sediments	short-term (single in- stance)
tert-butyl alcohol	75-65-0	PNEC	1 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
tert-butyl alcohol	75-65-0	PNEC	9.33 ^{mg} / _l	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment) Eye/face protection

Wear eye protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid
Colour	pink
Odour	characteristic
Other physical and chemical parameters	
pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	78 °C at 1,013 hPa (Read across on ethanol)
Flash point	< 10 °C (closed cup method test)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Vapour pressure	57.26 hPa at 19.6 °C (Read across on ethanol)
Relative density	Information on this property is not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Date of compilation: 2019-12-12

Version number: GHS 1.0

Partition coefficient

n-octanol/water (log KOW) Auto-ignition temperature Viscositv Explosive properties Oxidising properties

9.2 Other information

SECTION 10: Stability and reactivity

Reactivity 10.1

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

if heated

risk of ignition

Chemical stability 10.2

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (ST/SG/AC.10/30/Rev.6, GHS)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
tert-butyl alcohol	75-65-0	inhalation: vapour	11 ^{mg} /ı/4h

This information is not available. not determined not determined none none There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

Name of sub- stance	CAS No	Exposure route	Endpoint	Value	Species	Source
Ethyl alcohol	64-17-5	oral	LD50	10,470 ^{mg} / _{kg}	rat	European Chemicals Agency, http:// echa.europa. eu/
Ethyl alcohol	64-17-5	inhalation: va- pour	LC50	124.7 ^{mg} / _/ /4h	rat	European Chemicals Agency, http:// echa.europa. eu/
tert-butyl alcohol	75-65-0	oral	LD50	3,384 ^{mg} / _{kg}	rat	
tert-butyl alcohol	75-65-0	dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethyl alcohol	64-17-5	LC50	14.2 ^g / _l	fish	96 h
Ethyl alcohol	64-17-5	EC50	12.9 ^g / _l	fish	96 h
tert-butyl alcohol	75-65-0	LC50	>961 ^{mg} / _l	fish	96 h
tert-butyl alcohol	75-65-0	EC50	933 ^{mg} / _l	aquatic inverteb- rates	48 h

Aquatic toxicity (chronic)

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethyl alcohol	64-17-5	LC50	>0.08 ^{mg} / _l	fish	42 d
Ethyl alcohol	64-17-5	EC50	22.6 ^g / _l	algae	10 d
Ethyl alcohol	64-17-5	ErC50	675 ^{mg} / _l	algae	4 d
tert-butyl alcohol	75-65-0	EC50	>976 ^{mg} / _l	algae	24 h

12.2 Persistence and degradability Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Ethyl alcohol	64-17-5	64-17-5 oxygen depletion		5 d
tert-butyl alcohol	75-65-0	carbon dioxide generation	2.6-5.1 %	29 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ethyl alcohol	64-17-5		-0.35 (pH value: 7.4, 24 °C)	
tert-butyl alcohol	75-65-0		0.317 (pH value: 6.8, 22.5 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Properties of waste which render it hazardous

not assigned

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Date of compilation: 2019-12-12

SEC	TION 14: Transport information	
14.1	UN number	1993
14.2	UN proper shipping name Hazardous ingredients	FLAMMABLE LIQUID, N.O.S. tert-butyl alcohol
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be comp	lied within the premises.
14.7	Transport in bulk according to Annex II of MARPOL and	d the IBC Code
	The cargo is not intended to be carried in bulk.	
	Information for each of the UN Model Regulations	3
	• Transport of dangerous goods by road, rail and	
	UN number	1993
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.
	Class	3
	Classification code	F1
	Packing group	
	Danger label(s)	3
		274 601 6400
	Special provisions (SP)	274, 601, 640D E2
	Excepted quantities (EQ) Limited quantities (LQ)	E2 1 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	D/E
	Hazard identification No	33
	Emergency Action Code	3YE
	International Maritime Dangerous Goods Code (
	UN number	1993
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.
	Class	3
	Packing group	II
	Danger label(s)	3
	Special provisions (SP)	274
	Excepted quantities (EQ)	E2
	Limited quantities (LQ)	1L
	-1	

Version number: GHS 1.0

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0	Date of compilation: 2019-	12-12
EmS	F-E, <u>S-E</u>	
Stowage category	В	
 International Civil Aviation Organization 	(ICAO-IATA/DGR)	
UN number	1993	
Proper shipping name	Flammable liquid, n.o.s.	
Class	3	
Packing group	II	
Danger label(s)	3	
Special provisions (SP)	A3	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	1 L	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Seveso Directive

No	Dangerous substance/hazard categories	Qualifying quantity (to tion of lower and upp	onnes) for the applica- per-tier requirements	Notes
P5c	flammable liquids (cat. 2, 3)	5,000	50,000	51)

Notation

Flammable liquids, categories 2 or 3 not covered by P5a and P5b 51)

Chemical Safety Assessment 15.2

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Date of compilation: 2019-12-12

Abbr.	Descriptions of used abbreviations
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Version number: GHS 1.0

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

SOLUTION ADHESIVE

Version number: GHS 1.0

Date of compilation: 2019-12-12

Key literature references and sources for data

- Supplier
- EĊĤA

Flash point : -ethanol's monography, Ullmann's encyclopedia of Industrial chemistry, Vol13; table 2, 2012. -http://www.csst.qc.ca/prevention/reptox/pages/fichecomplete.aspx?no_produit=893&nom=%EF%BF%BDthanol

Classification procedure

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This document has been prepared in compliance with the Regulation (EU) 453/2010 of the Commission of 20 May 2010 and the classification has been carried out in compliance with the Regulation (EC) 1272/2008 of the Parliament and the Council of 16 December 2008, from available data on the substance (s) or the mixture concerned by this document at its release date.

Information mentioned in this document is intended to ensure, safety on handling, use, processing, storage, transport, and placing on the market of the substance or the mixture.

This information may not be valid, if the substance or the mixture concerned by this document is used for another usage than the one mentioned in section 1 of this document.

The recipient of this safety data sheet remains responsible for its transmission within the downstream supply chain.