

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Le FIX**
Registration number (REACH) not relevant (mixture)

Other means of identification

Item code 281016/4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses SU3 : industrial uses: uses of substances as such or in preparations at industrial sites
professional uses: public domain (administration, education, entertainment, services, craftsmen)
PC39 : cosmetics, personal care products

1.3 Details of the supplier of the safety data sheet

YUMI BEAUTY ORIGINAL COSMETICS
ZAC des murons
42160 Andrezieux
Telephone: +33 (0)4 77 25 12 26

e-mail: r.roullier@yumi-beauty.com

1.4 Emergency telephone number

Emergency information service

Australia : 13 11 26
Austria : +43 1 31304 5620;
Belgium : +32022649636;
Bulgaria : +359 2 9154 409;
Croatia : +38514686917;
Cyprus : +35722405611;
Czech republic tel : +420267082257;
Denmark : +45 72 54 40 00;
Estonia : +3726943884;
Finland : +358 5052 000;
France : + 33 3 83 85 21 92;
Germany : +49-30-18412-0;
Greece : +302106479250, +302106479450;
Hungary : +36 1 476 6464;
Iceland : +354 543 22 22;
Ireland : +35318092566;
Italy : +390649906140;
Latvia : +371 67032600;
Lithuania : +370 70662008;
Luxembourg : +352 24785551;
Malta : +356 2395 2000;
Netherlands : +31 88 75 585 61;
New zealand : 0800 764 766 or 0800 611 116;
Norway : +4573580500;
Poland : +48 42 2538 400;
Portugal : +351213303271;
Romania : +40213183606;
Slovakia : +421 2 5465 2307;
Slovenia : +38614006051;
Spain : +34 917689800;
Sweden : +46104566750;
United kingdom : +44 121 507 4123;
USA : 1-800-222-1222.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard state-ment
3.2	skin corrosion/irritation	Cat. 2	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	Cat. 2	(Eye Irrit. 2)	H319

Remarks

For full text of H-phrases: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Warning

Pictograms

GHS07



Hazard statements

H315

Causes skin irritation.

H319

Causes serious eye irritation.

Precautionary statements

Precautionary statements - prevention

P280

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313

If skin irritation occurs: Get medical advice/attention.

P337+P313

If eye irritation persists: Get medical advice/attention.

P362+P364

Take off contaminated clothing and wash it before reuse.

2.3 Other hazards

There is no additional information.



SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Notes
sodium bromate	CAS No 7789-38-0 EC No 232-160-4	10 - <25	Ox. Sol. 1 / H271 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	 	


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Notes
glycerol	CAS No 56-81-5 EC No 200-289-5 REACH Reg. No Exempted as per Annex V	1 - < 5			OEL
3-(2-ethylhexyloxy)propane-1,2-diol	CAS No 70445-33-9 EC No 408-080-2 REACH Reg. No 01-0000015745-65- xxxx	< 1	Acute Tox. 4 / H332 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		

Notes

OEL: Substance with a national occupational exposure limit value

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feed-stuffs.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA A [ppm]	TWA [mg/ m ³]	STEL L [ppm]	STEL [mg/ m ³]	Source	wt%
GB	glycerol	56-81-5	WEL		10			EH40/ 2005	1 - < 5

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
glycerol	56-81-5	DNEL	56 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

• relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
glycerol	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
glycerol	56-81-5	PNEC	1,000 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
glycerol	56-81-5	PNEC	3.3 mg/kg	benthic organisms	sediments	short-term (single instance)
glycerol	56-81-5	PNEC	0.33 mg/kg	pelagic organisms	sediments	short-term (single instance)
glycerol	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)
glycerol	56-81-5	PNEC	8.85 mg/l	aquatic organisms	water	intermittent release
glycerol	56-81-5	PNEC	0.0885 mg/l	aquatic organisms	marine water	short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	white
Odour	characteristic

Other physical and chemical parameters

pH (value)	3.00 – 7.00
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	does not contain any ingredient having a flashpoint < 60 ° C (Article 14 of the CLP Regulation)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
	not determined
Vapour pressure	not determined
Density	0,93 - 1,03
Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	not determined
Viscosity	
• dynamic viscosity	25 000 - 50 000 mPa/s
Explosive properties	none
Oxidising properties	none

9.2 Other information

There is no additional information.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (ST/SG/AC.10/30/Rev.6, GHS)

Acute toxicity

Shall not be classified as acutely toxic.

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sodium bromate	7789-38-0	oral	500 mg/kg
3-(2-ethylhexyloxy)propane-1,2-diol	70445-33-9	inhalation: vapour	11 mg/4h
3-(2-ethylhexyloxy)propane-1,2-diol	70445-33-9	inhalation: dust/mist	3.07 mg/4h

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Source
glycerol	56-81-5	oral	LD50	23,000 mg/kg	mouse	
3-(2-ethylhexyloxy)propane-1,2-diol	70445-33-9	oral	LD50	>2,000 mg/kg	rat	European Chemicals Agency, http://echa.europa.eu/
3-(2-ethylhexyloxy)propane-1,2-diol	70445-33-9	inhalation: dust/mist	LC50	3.07 mg/4h	rat	European Chemicals Agency, http://echa.europa.eu/

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Source
3-(2-ethyl-hexyloxy)propane-1,2-diol	70445-33-9	dermal	LD50	>2,000 mg/kg	rat	European Chemicals Agency, http://echa.europa.eu/

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
glycerol	56-81-5	LC50	54,000 mg/l	fish	96 h

Biodegradation

The relevant substances of the mixture are readily biodegradable.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
glycerol	56-81-5		-1.75 (pH value: 7.4, 25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Properties of waste which render it hazardous

not assigned

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es)
Class -

14.4 Packing group not relevant

14.5 Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user
Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code
The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

• Seveso Directive

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation
(EC) No. 2015/830

Le FIX

Version number: GHS 1.0

Date of compilation: 2019-04-15

Key literature references and sources for data

- Supplier
- ECHA
- Flash point :
 - ethanol's monography, Ullmann's encyclopedia of Industrial chemistry, Vol13; table 2, 2012.
 - http://www.csst.qc.ca/prevention/reptox/pages/fiche-complete.aspx?no_produit=893&nom=%EF%BF%BDthanol

Classification procedure

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This document has been prepared in compliance with the Regulation (EU) 453/2010 of the Commission of 20 May 2010 and the classification has been carried out in compliance with the Regulation (EC) 1272/2008 of the Parliament and the Council of 16 December 2008, from available data on the substance (s) or the mixture concerned by this document at its release date.

Information mentioned in this document is intended to ensure, safety on handling, use, processing, storage, transport, and placing on the market of the substance or the mixture.

This information may not be valid, if the substance or the mixture concerned by this document is used for another usage than the one mentioned in section 1 of this document.

The recipient of this safety data sheet remains responsible for its transmission within the downstream supply chain.