according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Le LIFT

Registration number (REACH) not relevant (mixture)

Other means of identification

Item code 280818/1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses SU22 : Professional uses: public domain (administration, education, entertainment, services, craftsmen)

SU3: industrial uses: uses of substances as such or

in preparations at industrial sites

PC39: cosmetics, personal care products

### 1.3 Details of the supplier of the safety data sheet

YUMI BEAUTY ORIGINAL COSMETICS

ZAC des murons 42160 Andrezieux

Telephone: +33 (0)4 77 25 12 26

e-mail: r.roullier@yumi-beauty.com

### 1.4 Emergency telephone number

Emergency information service Autralia: 13 11 26

Austria: +43 1 31304 5620; Belgium: +32022649636; Bulgaria: +359 2 9154 409; Croatia: +38514686917; Cyprus: +35722405611;

Czech republic tel: +420267082257;

Denmark: +45 72 54 40 00; Estonia: +3726943884; Finland: +358 5052 000; France: +33 3 83 85 21 92; Germany: +49-30-18412-0;

Greece: +302106479250, +302106479450;

Hungary: +36 1 476 6464; lceland: +354 543 22 22; lreland: +35318092566; ltaly: +390649906140; Latvia: +371 67032600; Lithuania: +370 70662008; Luxembourg: +352 24785551; Malta: +356 2395 2000;

Netherlands: +31 88 75 585 61;

New zealand: 0800 764 766 or 0800 611 116; Norway: +4573580500;

Norway: +4573580500; Poland: +48 42 2538 400; Portugal: +351213303271; Romania: +40213183606; Slovakia: +421 2 5465 2307; Slovenia: +38614006051; Spain: +34 917689800; Sweden: +46104566750;

United kingdom: +44 121 507 4123;

USA: 1-800-222-1222.

item 000004883 SDS-02 Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
3.10	acute toxicity (oral)	Cat. 4	(Acute Tox. 4)	H302
3.2	skin corrosion/irritation	Cat. 2	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	Cat. 2	(Eye Irrit. 2)	H319
3.4S	skin sensitisation	Cat. 1	(Skin Sens. 1)	H317

#### Remarks

For full text of H-phrases: see SECTION 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

**Pictograms** 

GHS07



#### **Hazard statements**

H302	Harmful if swallowed.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

#### Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

## Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## Additional labelling requirements

Tactile warning of danger

Hazardous ingredients for labelling: Ammonium mercaptoacetate, 3,4-Dihydro-2,5,7,8-tet-

ramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-

6-ol

item 000004883 SDS-02 Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

revision: 2019-04-19

Version number: GHS 2.0 Replaces version of: 2019-04-15 (GHS 1)

#### 2.3 Other hazards

There is no additional information.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Notes
Ammonium mercapto- acetate	CAS No 5421-46-5 EC No 226-540-9 REACH Reg. No 01-2119531489-31- xxxx	10-<25	Met. Corr. 1 / H290 Acute Tox. 3 / H301 Skin Sens. 1 / H317		
3,4-Dihydro-2,5,7,8-tet- ramethyl-2-(4,8,12-tri- methyltridecyl)-2H-ben- zopyran- 6-ol	CAS No 10191-41-0 EC No 233-466-0	1-<5	Skin Sens. 1 / H317	<b>(1)</b>	
glycerol	CAS No 56-81-5 EC No 200-289-5 REACH Reg. No Exempted as per Annex V	1-<5			OEL
2-aminoethanol	CAS No 141-43-5 EC No 205-483-3 REACH Reg. No 01-2119486455-28- xxxx	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335	I I	
3-(2-ethylhexyloxy)pro- pane-1,2-diol	CAS No 70445-33-9 EC No 408-080-2 REACH Reg. No 01-0000015745-65- xxxx	<1	Acute Tox. 4 / H332 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		

Notes

OEL: Substance with a national occupational exposure limit value

For full text of abbreviations: see SECTION 16.

item 000004883 SDS-02 Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

revision: 2019-04-19

Version number: GHS 2.0 Replaces version of: 2019-04-15 (GHS 1)

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

## Unsuitable extinguishing media

water iet

#### 5.2 Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

item 000004883 SDS-02 Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

revision: 2019-04-19

Version number: GHS 2.0 Replaces version of: 2019-04-15 (GHS 1)

## 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Recommendations

#### • Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### National limit values

### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifi- er	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Source	wt%
GB	glycerol	56-81-5	WEL		10			EH40/ 2005	1-<5

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

item 000004883 SDS-02 Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

## Relevant DNELs/DMELs/PNECs and other threshold levels

## • relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ammonium mer- captoacetate	5421-46- 5	DNEL	1.41 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects
Ammonium mer- captoacetate	5421-46- 5	DNEL	2.06 mg/kg bw/ day	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
glycerol	56-81-5	DNEL	56 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - local effects
2-aminoethanol	141-43-5	DNEL	3.3 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - local effects
2-aminoethanol	141-43-5	DNEL	1 mg/kg bw/day	human, dermal	worker (in- dustry)	chronic - systemic ef- fects

## • relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
Ammonium mer- captoacetate	5421-46- 5	PNEC	38 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Ammonium mer- captoacetate	5421-46- 5	PNEC	3.8 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single in- stance)
Ammonium mer- captoacetate	5421-46- 5	PNEC	3.2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
glycerol	56-81-5	PNEC	0.885 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single in- stance)
glycerol	56-81-5	PNEC	1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
glycerol	56-81-5	PNEC	3.3 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single in- stance)
glycerol	56-81-5	PNEC	0.33 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single in- stance)
glycerol	56-81-5	PNEC	0.141 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
glycerol	56-81-5	PNEC	8.85 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
glycerol	56-81-5	PNEC	0.0885 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
2-aminoethanol	141-43-5	PNEC	0.085 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single in- stance)
2-aminoethanol	141-43-5	PNEC	0.009 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single in- stance)
2-aminoethanol	141-43-5	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
2-aminoethanol	141-43-5	PNEC	0.434 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single in- stance)

item 000004883 SDS-02 Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

Version number: GHS 2.0 revision: 2019-04-19
Replaces version of: 2019-04-15 (GHS 1)

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
2-aminoethanol	141-43-5	PNEC	0.043 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sedi- ment	short-term (single in- stance)
2-aminoethanol	141-43-5	PNEC	0.037 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)

## 8.2 Exposure controls

## Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state liquid Colour white

Odour characteristic

Other physical and chemical parameters

pH (value) 8,80 – 9.20
Melting point/freezing point not determined
Initial boiling point and boiling range not determined

Flash point does not contain any ingredient having a flashpoint <

60 ° C (Article 14 of the CLP Regulation)

Evaporation rate not determined Flammability (solid, gas) not relevant (fluid) not determined

Vapour pressure not determined Density 1.00- 1.06

item 000004883 SDS-02 Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature not determined

Viscosity

• dynamic viscosity 25 000 - 50 000 mPa/s

Explosive properties none Oxidising properties none

**9.2** Other information There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

#### 10.5 Incompatible materials

oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification according to GHS (ST/SG/AC.10/30/Rev.6, GHS) Acute toxicity

Harmful if swallowed.

#### Acute toxicity estimate (ATE)

oral  $542.9 \frac{mg}{kg}$ 

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Ammonium mercaptoacetate	5421-46-5	oral	100 <sup>mg</sup> / <sub>kg</sub>
Ammonium mercaptoacetate	5421-46-5	dermal	2,000 <sup>mg</sup> / <sub>kg</sub>
2-aminoethanol	141-43-5	oral	1,515 <sup>mg</sup> / <sub>kg</sub>
2-aminoethanol	141-43-5	dermal	1,100 <sup>mg</sup> / <sub>kg</sub>
2-aminoethanol	141-43-5	inhalation: vapour	11 <sup>mg</sup> / <sub>l</sub> /4h

item 000004883 SDS-02 Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

Version number: GHS 2.0 Replaces version of: 2019-04-15 (GHS 1)

Name of substance	CAS No	Exposure route	ATE
3-(2-ethylhexyloxy)propane-1,2-diol	70445-33-9	inhalation: vapour	11 <sup>mg</sup> / <sub>l</sub> /4h
3-(2-ethylhexyloxy)propane-1,2-diol	70445-33-9	inhalation: dust/mist	3.07 <sup>mg</sup> / <sub>I</sub> /4h

revision: 2019-04-19

	•	•		•	
CAS No	Exposure route	Endpoint	Value	Species	Source
5421-46-5	oral	LD50	50 – 200 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
5421-46-5	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
56-81-5	oral	LD50	23,000 <sup>mg</sup> / <sub>kg</sub>	mouse	
141-43-5	oral	LD50	1,515 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
141-43-5	dermal	LD50	2,504 <sup>mg</sup> / <sub>kg</sub>	rabbit	European Chemicals Agency, http:// echa.europa. eu/
70445-33-9	oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
70445-33-9	inhalation: dust/ mist	LC50	3.07 <sup>mg</sup> / <sub>/</sub> /4h	rat	European Chemicals Agency, http:// echa.europa. eu/
70445-33-9	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
	5421-46-5  5421-46-5  56-81-5  141-43-5  70445-33-9	Foute           5421-46-5         oral           5421-46-5         dermal           56-81-5         oral           141-43-5         oral           70445-33-9         oral           70445-33-9         inhalation: dust/ mist	Foute           5421-46-5         oral         LD50           5421-46-5         dermal         LD50           56-81-5         oral         LD50           141-43-5         oral         LD50           70445-33-9         oral         LD50           70445-33-9         inhalation: dust/ mist         LC50	Foute         LD50         50-200 mg/kg           5421-46-5         dermal         LD50         >2,000 mg/kg           56-81-5         oral         LD50         23,000 mg/kg           141-43-5         oral         LD50         1,515 mg/kg           70445-33-9         oral         LD50         2,504 mg/kg           70445-33-9         inhalation: dust/ mist         LC50         3.07 mg//4h	Foute         LD50         50 - 200 mg/kg         rat           5421-46-5         dermal         LD50         >2,000 mg/kg         rat           5421-46-5         dermal         LD50         >2,000 mg/kg         mouse           141-43-5         oral         LD50         1,515 mg/kg         rat           141-43-5         dermal         LD50         2,504 mg/kg         rabbit           70445-33-9         oral         LD50         >2,000 mg/kg         rat           70445-33-9         inhalation: dust/ mist         LC50         3.07 mg//4h         rat

### Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

item 000004883 SDS-02 Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

revision: 2019-04-19

Version number: GHS 2.0 Replaces version of: 2019-04-15 (GHS 1)

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

**Aspiration hazard** 

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ammonium mercaptoacetate	5421-46-5	LC50	>100 <sup>mg</sup> / <sub>I</sub>	fish	96 h
Ammonium mercaptoacetate	5421-46-5	EC50	38 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h
Ammonium mercaptoacetate	5421-46-5	ErC50	27 <sup>mg</sup> / <sub>l</sub>	algae	72 h
glycerol	56-81-5	LC50	54,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h
2-aminoethanol	141-43-5	LC50	349 <sup>mg</sup> / <sub>l</sub>	fish	96 h
2-aminoethanol	141-43-5	EC50	65 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h
2-aminoethanol	141-43-5	ErC50	2.8 <sup>mg</sup> / <sub>l</sub>	algae	72 h

#### Aquatic toxicity (chronic)

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ammonium mercaptoacetate	5421-46-5	EC50	>1,000 <sup>mg</sup> / <sub>I</sub>	microorganisms	3 h
2-aminoethanol	141-43-5	EC50	2.5 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	21 d

#### **Biodegradation**

The relevant substances of the mixture are readily biodegradable.

## 12.2 Persistence and degradability

## Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
2-aminoethanol	141-43-5	DOC removal	>90 %	21 d

## 12.3 Bioaccumulative potential

Data are not available.

## Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ammonium mercaptoacetate	5421-46-5		-2.99 (pH value: 7, 22 °C)	
glycerol	56-81-5		-1.75 (pH value: 7.4, 25 °C)	
2-aminoethanol	141-43-5	2.3	-2.3 (25 °C)	

item 000004883 SDS-02 Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

#### Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Relevant provisions relating to waste

## Properties of waste which render it hazardous

not assigned

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1 UN number

**14.2** UN proper shipping name not relevant

**14.3** Transport hazard class(es)

Class

-

**14.4** Packing group not relevant

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous

goods regulations)

**14.6** Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Seveso Directive

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

## **SECTION 16: Other information**

## 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1	pH (value): not determined	pH (value): 8,80 - 9.20	yes
9.1	Relative density: Information on this property is not available.		yes
9.1		Density: 1.00- 1.06	yes
9.1	Viscosity: not determined	Viscosity	yes
9.1		dynamic viscosity: 25 000 - 50 000 mPa/s	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

item 000004883 SDS-02 Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

Version number: GHS 2.0 revision: 2019-04-19 Replaces version of: 2019-04-15 (GHS 1)

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

- Supplier ECHA
- Flash point:
  - -ethanol's monography, Ullmann's encyclopedia of Industrial chemistry, Vol13; table 2, 2012. -http://www.csst.qc.ca/prevention/reptox/pages/fiche-

  - complete.aspx?no\_produit=893&nom=%EF%BF%BDthanol

#### Classification procedure

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Page 13 / 14 item 000004883 SDS-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## Le LIFT

Version number: GHS 2.0 Replaces version of: 2019-04-15 (GHS 1)

## Disclaimer

This document has been prepared in compliance with the Regulation (EU) 453/2010 of the Commission of 20 May 2010 and the classification has been carried out in compliance with the Regulation (EC) 1272/2008 of the Parliament and the Council of 16 December 2008, from available data on the substance (s) or the mixture concerned by this document at its release date.

Information mentioned in this document is intended to ensure, safety on handling, use, processing, storage, transport, and placing on the market of the substance or the mixture.

This information may not be valid, if the substance or the mixture concerned by this document is used for another usage than the one mentioned in section 1 of this document.

The recipient of this safety data sheet remains responsible for its transmission within the downstream supply chain.

.

revision: 2019-04-19