according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 1.1

> Trade name **Protein Remover** Registration number (REACH) not relevant (mixture)

Other means of identification

Item code 161017/1 **Customs Code** 3304 99 00

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses SU21: consumer uses: private households (= gener-

al public = consumers)

PC39: cosmetics, personal care products

1.3 Details of the supplier of the safety data sheet

YUMI BEAUTY ORIGINAL COSMETICS

ZAC des murons 42160 Andrezieux

Telephone: +33 (0)4 77 25 12 26

e-mail: r.roullier@griffedor.com

1.4 **Emergency telephone number** 

> **Emergency information service** Australia: 13 11 26

Austria: +43 1 31304 5620; Belgium: +32022649636; Bulgaria: +359 2 9154 409; Croatia: +38514686917; Cyprus: +35722405611;

Czech republic tel: +420267082257;

Denmark: +45 72 54 40 00; Estonia: +3726943884 Finland: +358 5052 000; France: + 33 (0)1 45 42 59 59; Germany: +49-30-18412-0;

Greece: +302106479250, +302106479450;

Hungary: +36 1 476 6464; Iceland: +354 543 22 22; Ireland: +35318092566; Italy: +390649906140; Latvia: +371 67032600: Lithuania: +370 70662008; Luxembourg: +352 24785551; Malta: +356 2395 2000;

Netherlands: +31 88 75 585 61; New zealand: 0800 764 766 or 0800 611 116;

Norway: +4573580500; Poland: +48 42 2538 400; Portugal: +351213303271; Romania: +40213183606; Slovakia: +421 2 5465 2307; Slovenia: +38614006051; Spain: +34 917689800; Sweden: +46104566750:

United kingdom: +44 121 507 4123; USA: 1-800-222-1222.

Page 1 / 13 item 000006758 SDS-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
3.3	serious eye damage/eye irritation	Cat. 2	(Eye Irrit. 2)	H319

#### Remarks

For full text of H-phrases: see SECTION 16.

Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Fir needle oil. May produce an allergic reaction

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

**Pictograms** 

GHS07



#### **Hazard statements**

H319 Causes serious eye irritation.

#### **Precautionary statements**

#### **Precautionary statements - general**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

### Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### Supplemental label elements

Contains Fir needle oil. May produce an allergic reaction.

#### 2.3 Other hazards

There is no additional information.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

item 000006758 SDS-02 Page 2 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

#### Description of the mixture

Name of sub- stance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Note s	M-Factors
1-Propanaminium, 3-amino-N- (carboxymethyl)- N,N-dimethyl-, N- (C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts	CAS No 147170-44-3 EC No 931-333-8 REACH Reg. No 01- 2119489410- 39-xxxx	1-<5	Eye Dam. 1 / H318 Aquatic Chronic 3 / H412			
Disodium Cocoyl	CAS No 68187-30-4 / 68187-32-6 EC No 269-085-1 / 269-087-2	<1	Eye Irrit. 2 / H319 Aquatic Chronic 3 / H412	<b>!</b> >		
glycerol	CAS No 56-81-5 EC No 200-289-5 REACH Reg. No Exempted as per Annex V	<1			OEL	
Fir needle oil	CAS No 91770-69-3 EC No 294-855-9	<1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 /			

Notes

OEL: Substance with a national occupational exposure limit value

For full text of abbreviations: see SECTION 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

item 000006758 SDS-02 Page 3 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

item 000006758 SDS-02 Page 4 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

· Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

· Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Identifi- er	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Source	wt%
GB	glycerol	56-81-5	WEL		10			EH40/ 2005	<1

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified)

### Relevant DNELs/DMELs/PNECs and other threshold levels

### relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	DNEL	44 mg/m³	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

item 000006758 SDS-02 Page 5 / 13

**Safety Data Sheet** according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## **Protein Remover**

Date of compilation: 2020-10-07 Version number: GHS 1.0

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	DNEL	12.5 mg/kg bw/ day	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
glycerol	56-81-5	DNEL	56 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - local effects

### • relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	PNEC	0.013 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	PNEC	0.001 <sup>mg</sup> / <sub>i</sub>	aquatic organisms	marine water	short-term (single in- stance)
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	PNEC	3,000 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	PNEC	14.8 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	PNEC	1.48 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sedi- ment	short-term (single instance)

Page 6 / 13 item 000006758 SDS-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
1-Propanaminium, 3- amino-N-(carboxy- methyl)-N,N-di- methyl-, N-(C8- 18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170- 44-3	PNEC	0.8 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
glycerol	56-81-5	PNEC	0.885 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
glycerol	56-81-5	PNEC	1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
glycerol	56-81-5	PNEC	3.3 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single in- stance)
glycerol	56-81-5	PNEC	0.33 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single in- stance)
glycerol	56-81-5	PNEC	0.141 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
glycerol	56-81-5	PNEC	8.85 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
glycerol	56-81-5	PNEC	0.0885 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)

#### 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye protection.

### Skin protection

### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

item 000006758 SDS-02 Page 7 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state liquid
Colour colourless
Odour characteristic

Other physical and chemical parameters

pH (value) 5,00 - 6,00
Melting point/freezing point not determined
Initial boiling point and boiling range not determined

Flash point does not contain any ingredient having a flashpoint <

60 ° C (Article 14 of the CLP Regulation)

Evaporation rate not determined
Flammability (solid, gas) not relevant (fluid)
not determined

Vapour pressure not determined

Density 1

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature not determined Viscosity not determined

Explosive properties none Oxidising properties none

**9.2 Other information** There is no additional information.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

item 000006758 SDS-02 Page 8 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification according to GHS (ST/SG/AC.10/30/Rev.6, GHS) Acute toxicity

Shall not be classified as acutely toxic.

Name of sub- stance	CAS No	Exposure route	Endpoint	Value	Species	Source
1-Propanamini- um, 3-amino-N- (carboxymethyl)- N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hy- droxides, inner salts	147170-44-3	oral	LD50	2,335 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
1-Propanamini- um, 3-amino-N- (carboxymethyl)- N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hy- droxides, inner salts	147170-44-3	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat	European Chemicals Agency, http:// echa.europa. eu/
glycerol	56-81-5	oral	LD50	23,000 <sup>mg</sup> / <sub>kg</sub>	mouse	

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Contains Fir needle oil. May produce an allergic reaction.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

#### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

item 000006758 SDS-02 Page 9 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **Aquatic toxicity (acute)**

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170-44-3	LC50	1.11 <sup>mg</sup> / <sub>l</sub>	fish	96 h
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170-44-3	EC50	1.9 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h
glycerol	56-81-5	LC50	54,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h

#### **Biodegradation**

The relevant substances of the mixture are readily biodegradable.

### 12.2 Persistence and degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170-44-3	DOC removal	80 %	62 d
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170-44-3	carbon dioxide generation	87.2 %	28 d

#### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18(even numbered) and C18 unsaturated acyl) derivs., hydrox- ides, inner salts	147170-44-3	3	4.44 (20 °C)	
glycerol	56-81-5		-1.75 (pH value: 7.4, 25 °C)	

#### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

item 000006758 SDS-02 Page 10 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Relevant provisions relating to waste

#### Properties of waste which render it hazardous

not assigned

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### **SECTION 14: Transport information**

14.1	UN number	not assigned
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es) Class	-
14.4	Packing group	not assigned to a packing group
14.5	Environmental hazards	<b>none</b> (non-environmentally hazardous acc. to the dangerous goods regulations)
116	Chaoial propoutions for user	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

not assigned

International Maritime Dangerous Goods Code (IMDG)

not assigned

International Civil Aviation Organization (ICAO-IATA/DGR)

not assigned

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

**Safety Data Sheet** according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

## **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

### **SECTION 16: Other information**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
Asp. Tox.	Aspiration hazard	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-Octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	

Page 12 / 13 item 000006758 SDS-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation (EC) No. 2015/830

### **Protein Remover**

Version number: GHS 1.0 Date of compilation: 2020-10-07

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

- Supplier
- ECHA

#### Classification procedure

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This document has been prepared in compliance with the Regulation (EU) 453/2010 of the Commission of 20 May 2010 and the classification has been carried out in compliance with the Regulation (EC) 1272/2008 of the Parliament and the Council of 16 December 2008, from available data on the substance (s) or the mixture concerned by this document at its release date.

Information mentioned in this document is intended to ensure, safety on handling, use, processing, storage, transport, and placing on the market of the substance or the mixture.

This information may not be valid, if the substance or the mixture concerned by this document is used for another usage than the one mentioned in section 1 of this document.

The recipient of this safety data sheet remains responsible for its transmission within the downstream supply chain.

item 000006758 SDS-02 Page 13 / 13