

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

**TREATMENT CALLUS PEELING**

Registration number (REACH)

not relevant (mixture)

#### Other means of identification

Item code

181115/1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

industrial uses: uses of substances as such or in preparations at industrial sites  
consumer uses: private households (= general public = consumers)  
medical device

#### 1.3 Details of the supplier of the safety data sheet

ORIGINAL COSMETICS  
YUMI BEAUTY  
RUE JULES VEDRINES  
42160 ANDREZIEUX- BOUTHEON  
France  
e-mail: r.roullier@griffedor.com

#### 1.4 Emergency telephone number

Emergency information service

Austria : +431 406 43 43;  
Belgium : +070 245 245 (7 /7 24/24);  
Bulgaria : +359 2 9154 409;  
Czech republic tel +420 224 919 293, +420 224 915 402;  
Denmark : 82 12 12 12;  
Estonia : tel nationally 16662, from abroad (+372) 626 93 90;  
Finland : (09) 471 977 (direct) or (09) 4711 (exchange);  
France : + 33 (0)1 45 42 59 59 (7/7 24/24);  
Germany : 030/19240;  
Hungary : +36 1 476 6464;  
Ireland : 01 8092566 or 01 8379964;  
Italie : 0659943733;  
Lithuania : 370 5 236 20 52 ou 370 687 53 378;  
Malta : 2545 0000;  
Netherlands : 030-2748888;  
New zealand : 0800 764 766 or 0800 611 116;  
Norway : + 47 810 20 050;  
Portugal : 808 250 143;  
Romania : 021.318.36.06;  
Slovakia : 421 2 5477 4166;  
Spain : + 34 91 562 04 20;  
Sweden : 112 ou 08-331231.  
United kingdom : +44 7769893997  
USA : 1-800-222-1222.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard state-ment
3.2	skin corrosion/irritation	Cat. 1A	(Skin Corr. 1A)	H314
3.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318

##### Remarks

For full text of H-phrases: see SECTION 16.

##### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008 (CLP)

##### Signal word

**Danger**

##### Pictograms

GHS05



##### Hazard statements

H314 Causes severe skin burns and eye damage.

##### Precautionary statements

##### Precautionary statements - general

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

##### Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

##### Precautionary statements - response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

##### Precautionary statements - storage

P405 Store locked up.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### Precautionary statements - disposal

P501 Dispose of contents, container in accordance with local regulation.

### Additional labelling requirements

**Child-resistant fastening** yes  
**Tactile warning of danger** yes  
**Hazardous ingredients for labelling:** sodium hydroxide

### 2.3 Other hazards

There is no additional information.







## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Notes
sodium hydroxide	CAS No 1310-73-2  EC No 215-185-5  REACH Reg. No 01-2119457892-27- xxxx	1 - < 5	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318		OEL
glycerol	CAS No 56-81-5  EC No 200-289-5  REACH Reg. No Exempted as per Annex V	1 - < 5			OEL
Lactic acid	CAS No 50-21-5  EC No 200-018-0	< 1	Skin Irrit. 2 / H315 Eye Dam. 1 / H318		
Ethyl alcohol	CAS No 64-17-5  EC No 200-578-6  REACH Reg. No 01-2119457610-43- xxxx	< 1	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	 	OEL
2-methylpropan-2-ol	CAS No 75-65-0  EC No 200-889-7  REACH Reg. No 01-2119444321-51- xxxx	< 1	Flam. Liq. 2 / H225 Acute Tox. 4 / H332 Eye Irrit. 2 / H319 STOT SE 3 / H335 STOT SE 3 / H336	 	OEL

#### Notes

OEL: Substance with a national occupational exposure limit value

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

For full text of abbreviations: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

Covering of drains.

##### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

##### Appropriate containment techniques

Use of adsorbent materials.

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

##### • Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

##### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### Consideration of other advice

##### • Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA A [ppm]	TWA [mg/m <sup>3</sup> ]	STEL L [ppm]	STEL [mg/m <sup>3</sup> ]	Source	wt%
GB	sodium hydroxide	1310-73-2	WEL				2	EH40/2005	1 - < 5
GB	glycerol	56-81-5	WEL		10			EH40/2005	1 - < 5
GB	ethanol	64-17-5	WEL	1,000	1,920			EH40/2005	< 1
GB	2-methylpropan-2-ol	75-65-0	WEL	100	308	150	462	EH40/2005	< 1

##### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

##### Relevant DNELs/DMELs/PNECs and other threshold levels

###### • relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sodium hydroxide	1310-73-2	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
glycerol	56-81-5	DNEL	56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Ethyl alcohol	64-17-5	DNEL	1,900 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Ethyl alcohol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ethyl alcohol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2-methylpropan-2-ol	75-65-0	DNEL	214 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
2-methylpropan-2-ol	75-65-0	DNEL	5.5 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
2-methylpropan-2-ol	75-65-0	DNEL	2.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

###### • relevant PNECs of components of the mixture

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
glycerol	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
glycerol	56-81-5	PNEC	1,000 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
glycerol	56-81-5	PNEC	3.3 mg/kg	benthic organisms	sediments	short-term (single instance)
glycerol	56-81-5	PNEC	0.33 mg/kg	pelagic organisms	sediments	short-term (single instance)
glycerol	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)
glycerol	56-81-5	PNEC	8.85 mg/l	aquatic organisms	water	intermittent release
glycerol	56-81-5	PNEC	0.0885 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl alcohol	64-17-5	PNEC	0.96 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl alcohol	64-17-5	PNEC	0.79 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl alcohol	64-17-5	PNEC	580 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl alcohol	64-17-5	PNEC	3.6 mg/kg	benthic organisms	sediments	short-term (single instance)
Ethyl alcohol	64-17-5	PNEC	0.63 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethyl alcohol	64-17-5	PNEC	2.75 mg/l	aquatic organisms	water	intermittent release
2-methylpropan-2-ol	75-65-0	PNEC	6.64 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-methylpropan-2-ol	75-65-0	PNEC	0.664 mg/l	aquatic organisms	marine water	short-term (single instance)
2-methylpropan-2-ol	75-65-0	PNEC	690 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
2-methylpropan-2-ol	75-65-0	PNEC	5.8 mg/kg	benthic organisms	sediments	short-term (single instance)
2-methylpropan-2-ol	75-65-0	PNEC	0.58 mg/kg	pelagic organisms	sediments	short-term (single instance)
2-methylpropan-2-ol	75-65-0	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)
2-methylpropan-2-ol	75-65-0	PNEC	9.33 mg/l	aquatic organisms	water	intermittent release

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

###### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

###### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Colour	colourless
Odour	characteristic

#### Other physical and chemical parameters

pH (value)	11.00 - 13.00
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	> 60 °C (Read across on ingredients)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapour pressure	not determined
Density	1.05 - 1.10
Partition coefficient	
n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### 9.2 Other information

#### SECTION 10: Stability and reactivity

##### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

##### 10.2 Chemical stability

See below "Conditions to avoid".

##### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

**Physical stresses which might result in a hazardous situation and have to be avoided**

strong shocks

##### 10.5 Incompatible materials

oxidisers

##### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### SECTION 11: Toxicological information

##### 11.1 Information on toxicological effects

###### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

###### Classification according to GHS (1272/2008/EC, CLP)

###### Acute toxicity

Shall not be classified as acutely toxic.

###### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-methylpropan-2-ol	75-65-0	inhalation: vapour	11 mg/l/4h

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Source
glycerol	56-81-5	oral	LD50	23,000 mg/kg	mouse	
Lactic acid	50-21-5	oral	LD50	3,750 mg/kg	unknown	
Ethyl alcohol	64-17-5	oral	LD50	10,470 mg/kg	rat	
Ethyl alcohol	64-17-5	inhalation: vapour	LC50	124.7 mg/l/4h	rat	
2-methylpropan-2-ol	75-65-0	oral	LD50	3,384 mg/kg	rat	
2-methylpropan-2-ol	75-65-0	dermal	LD50	>2,000 mg/kg	rabbit	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium hydroxide	1310-73-2	EC50	40.4 mg/l	aquatic invertebrates	48 h
glycerol	56-81-5	LC50	54,000 mg/l	fish	96 h
Ethyl alcohol	64-17-5	LC50	14.2 g/l	fish	96 h
Ethyl alcohol	64-17-5	EC50	12.9 g/l	fish	96 h
2-methylpropan-2-ol	75-65-0	LC50	>961 mg/l	fish	96 h
2-methylpropan-2-ol	75-65-0	EC50	933 mg/l	aquatic invertebrates	48 h

#### Aquatic toxicity (chronic)

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethyl alcohol	64-17-5	LC50	>0.08 mg/l	fish	42 d
Ethyl alcohol	64-17-5	EC50	22.6 g/l	algae	10 d
Ethyl alcohol	64-17-5	ErC50	675 mg/l	algae	4 d
2-methylpropan-2-ol	75-65-0	EC50	>976 mg/l	algae	24 h

### Biodegradation

The relevant substances of the mixture are readily biodegradable.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### 12.2 Persistence and degradability

#### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Ethyl alcohol	64-17-5	oxygen depletion	74 %	5 d
2-methylpropan-2-ol	75-65-0	carbon dioxide generation	2.6 – 5.1 %	29 d

### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
glycerol	56-81-5		-1.75 (pH value: 7.4, 25 °C)	
Ethyl alcohol	64-17-5		-0.35 (pH value: 7.4, 24 °C)	
2-methylpropan-2-ol	75-65-0		0.317 (pH value: 6.8, 22.5 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Relevant provisions relating to waste

#### Properties of waste which render it hazardous

not assigned

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

### SECTION 14: Transport information

- 14.1** UN number
- 14.2** UN proper shipping name not relevant
- 14.3** Transport hazard class(es)  
Class -
- 14.4** Packing group not relevant
- 14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)
- 14.6** Special precautions for user  
Provisions for dangerous goods (ADR) should be complied within the premises.
- 14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code  
The cargo is not intended to be carried in bulk.

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- 15.2 Chemical Safety Assessment**  
Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

Abbr.	Descriptions of used abbreviations
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

- Supplier
- ECHA ([echa.europa.eu/fr](http://echa.europa.eu/fr))

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by Regulation  
(EC) No. 2015/830

## TREATMENT CALLUS PEELING

Version number: GHS 1.0

Date of compilation: 2017-10-20

---

### Disclaimer

This document has been prepared in compliance with the Regulation (EU) 453/2010 of the Commission of 20 May 2010 and the classification has been carried out in compliance with the Regulation (EC) 1272/2008 of the Parliament and the Council of 16 December 2008, from available data on the substance (s) or the mixture concerned by this document at its release date.

Information mentioned in this document is intended to ensure, safety on handling, use, processing, storage, transport, and placing on the market of the substance or the mixture.

This information may not be valid, if the substance or the mixture concerned by this document is used for another usage than the one mentioned in section 1 of this document.

The recipient of this safety data sheet remains responsible for its transmission within the downstream supply chain.

.