

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

Filler Fine 615

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name Filler Fine 615 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Filler Uses advised against No special 1.3. Details of the supplier of the safety data sheet Company and address Dana Lim A/S Københavnsvej 220 DK-4600 Køge Denmark Tel: +45 56 64 00 70 Fax: +45 56 64 00 90 Contact person **Product Safety Department** E-mail info@danalim.dk SDS date 2021-08-13 **SDS Version** 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Not classified according to Regulation (EC) No. 1272/2008 (CLP) 2.2. Label elements Hazard pictogram(s) Not applicable Signal word Not applicable Hazard statement(s) Not applicable Safety statement(s) General Prevention Response



Storage

Disposal

Hazardous substances

No special

2.3. Other hazards

Additional labelling

EUH208, Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210, Safety data sheet available on request.

Active substance(s):

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (0.00095 g/100g) Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	CAS No.: 55965-84-9	<0.0015%	Acute Tox. 3, H301 Acute Tox. 2, H310	
	EC No.: 911-418-6		Skin Corr. 1C, H314 (SCL: 0.60 %)	
	REACH: 01-2120764691-48- XXXX		Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330	
	Index No.:		Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

[1] European occupational exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport. Ingestion



Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction to predisposed persons.

- 4.3. Indication of any immediate medical attention and special treatment needed
 - No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides.

Carbon oxides (CO / CO2).

Some metal oxides.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature



> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

acrylic acid

Long term exposure limit (8 hours) (ppm): 10 Long term exposure limit (8 hours) (mg/m³): 29 Short term exposure limit (15 minutes) (ppm): 20 (1 min.) Short term exposure limit (15 minutes) (mg/m³): 59 (1 min.)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020)

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
Upon during sanding of treated areas (No special precautions when handling the wet product)	SL	Ρ3	White	EN149	

Skin protection

No specific requirements Hand protection



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388	
Eye protection No specific requireme	nts			
SECTION 9: Physical and che	mical properties			
9.1. Information on basic ph Physical state Paste Colour White Odour / Odour threshold Testing not relevant o pH 9-10 Density (g/cm ³) 1.90 Kinematic viscosity	- · ·			
Testing not relevant o Particle characteristics	r not possible due to	nature of the product		
Testing not relevant o Phase changes Melting point/Freezing po Testing not relevant o Boiling point (°C) 100.00 °C	oint (°C)			
Vapour pressure Testing not relevant o Relative vapour density	r not possible due to	nature of the product		
Testing not relevant o Decomposition temperat	ure (°C)			
Testing not relevant o Data on fire and explosion h Flash point (°C)	azards			
Testing not relevant o Ignition (°C) Testing not relevant o				
Auto flammability (°C) Testing not relevant o Lower and upper explosio	on limit (% v/v)			
Testing not relevant o Solubility Solubility in water	r not possible due to	nature of the product		
Soluble n-octanol/water coefficie				
Testing not relevant o Solubility in fat (g/L) Testing not relevant o				



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance Test method Species Route of exposure Test Result Other information	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rat Oral LD50 49,6-75 mg/kg ·
Product/substance Test method Species Route of exposure Test Result Other information	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rat Inhalation LC50 0,33 mg/l, 4 h aerosol ·
Product/substance Test method Species Route of exposure Test Result Other information	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rabbit Dermal LD50 141 mg/kg ·

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation



Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Test method Species Guinea pig				
Result Other information				
Germ cell mutagenicity				
Based on available da	ata, the classification criteria are not met.			
Carcinogenicity				
Based on available da	ata, the classification criteria are not met.			
Reproductive toxicity				
Based on available da	ata, the classification criteria are not met.			
STOT-single exposure				
Based on available da	Based on available data, the classification criteria are not met.			
STOT-repeated exposure	2			
	ata, the classification criteria are not met.			
Aspiration hazard				
Based on available da	ata, the classification criteria are not met.			
11.2 Information on other h	nazards			
Long term effects				
No special				
Endocrine disrupting pro	operties			
No special				
Other information				
acrylic acid has been	classified by IARC as a group 3 carcinogen.			

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method Species	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Algae
Compartment	
Duration	72 hours
Test	EC50
Result	0,027 mg/l ·
Other information	
Product/substance	astrulis asid
Test method	acrylic acid
Species	Algae
Compartment	
Duration	96 hours
Test	EC50
Result	0,17 mg/l ·
Other information	
Product/substance Test method	acrylic acid
Species Compartment	Algae
Duration	72 hours



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

	EC50
ılt	0,04 mg/l ·
er information	
uct/substance	acrylic acid
method	
ies	Daphnia
partment	
ition	48 hours
	EC50
ılt	95 mg/l ·
er information	
uct/substance	acrylic acid
method	
ies	Fish
partment	
ition	96 hours
	LC50
llt	222 mg/l ·
er information	

12.2. Persistence and degradability

Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Biodegradable	Yes
Test method	OECD 301 D
Result	>60%

12.3. Bioaccumulative potential

Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Potential	No
bioaccumulation	
LogPow	No data available
BCF	3.6
Other information	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste. Regulation (EU) No 1357/2014 of 18 December 2014 on waste.



EWC code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

IMDG

Not applicable

MARINE POLLUTANT

No

IATA

Not applicable

- 14.5. Environmental hazards Not applicable
- 14.6. Special precautions for user Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered. Must not be used by persons suffering acrylic dermatitis.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

Not applicable

Sources

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3



EUH071, Corrosive to the respiratory tract. H301, Toxic if swallowed. H310, Fatal in contact with skin. H314, Causes severe skin burns and eye damage. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H330, Fatal if inhaled. H400, Very toxic to aquatic life. H410, Very toxic to aquatic life with long lasting effects. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit. SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable The safety data sheet is validated by Product Safety Department Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not



necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en