


SOLLEX

Knives for Sign & Print, Graphic Industry



Blades for CNC cutting machines | Routing bits | Scalpels | Snap-off knives and blades

+46 35-15 75 00

order@sollex.se

www.sollex.com

Why Sollex

Sharp Solutions for Professionals Since 1927

Sollex is a Swedish manufacturer and supplier of premium industrial knives and blades for professional applications. With a century of experience, we develop and deliver cutting tools for industries that demand precision, reliability, and performance.

Each blade is crafted with care from advanced materials like tungsten carbide, high-chromium carbon steel, or stainless steel, ensuring superior durability and consistent results.

We maintain a full stock of our standard products in Malmö, Sweden, to ensure fast and reliable delivery.

Our product range includes:

- Knives for Zünd, Summa, iEcho, Atom, Elitron, Esko, Gerber, Roland and others
- Circular knives, top and bottom knives
- Machine knives according to drawing
- Knives for plastic recycling
- Razor blades for plastic film and foil
- Knives for composite materials
- Ultrasonic knives
- Scalpels and precision craft tools
- Safety knives and blades

Choose the right tools for your cutting needs and discover why professionals across Europe and beyond trust Sollex knives.



CNC Knives for Digital Cutting Systems

Drag / oscillating / pneumatic / tangential / kiss-cut / rotary knives



**Z46**

Knives for Zund Cutter Tables

Sollex high-performance CNC knives are compatible with Zünd cutters and flatbed cutting tables, including Q-Line, G3, S3, D3, and L3 models. Made from premium tungsten carbide, which means long durability, sharpness and cutting quality.

These knives fit a wide range of Zünd tools, including:

- UCT universal,
- EOT and EOT-250 electric oscillating,
- POT pneumatic oscillating,
- DRT and PRT rotary,
- KCT kiss-cut,
- VCT V-cutting tools.

Item #	Dimensions	Cut. depth, mm	Application	Picture
Z1	Ø3x18.5mm / pre-cut 1.43xTm / cut. angle 35°	1	KCT, KCM-S, C2, C2P	
Z2	Ø3x18.5mm / pre-cut 1.43xTm / cut. angle 35°	1		
Z3	Ø3x18.5mm / pre-cut 1.43xTm / cut. angle 35°	1		
Z10	50x8x1.5mm / pre-cut & post-cut 0.84xTm / cut. angle 50°	4.8	SCT, UCT	
Z11	50x8x1.5mm / pre-cut & post-cut 0.58xTm / cut. angle 60°	6.9		
Z16	26x5.6x0.63mm / pre-cut 0.75xTm / cut. angle 54°	7.4	POT, EOT, EOT-250, UCT, SCT, PCT	
Z17	25x5.6x0.63mm / pre-cut 0.47xTm / cut. angle 65°	12		
Z20	25x4x0.63mm / pre-cut 1.2+0.11xTm / cut. angle 63° 84°	14.3	POT, EOT, EOT-250	
Z21	28x4x0.63mm / pre-cut 1.6+0.11xTm / cut. angle 63° 84°	17.2		
Z22	25x4x0.63mm / pre-cut 1.2+0.2xTm / cut. angle 63° 79°	14		
Z23	33x4x0.63mm / pre-cut 1.8+0.1xTm / cut. angle 45° 84.5°	22		
Z28	38x4x0.63mm / pre-cut 1.9+0.07xTm / cut. angle 45° 86°	26		
Z29	43x4x0.63mm / pre-cut 1.9+0.06xTm / cut. angle 45° 86.3°	31		
Z44	50x8x1.5mm / pre & post-cut 0.58xTm / cut. angle 60° 90°	14	SCT, UCT	
Z46	50x6x1.5mm / pre-cut 1.0xTm / cut. angle 45°	20		
Z104	29x5.6x0.63mm / pre-cut 1.4+0.18xTm / cut. angle 80°	11	POT, EOT, EOT-250, PCT	

Visit our website www.sollex.com and type "zund" in the search box to find all knives suitable for Zünd cutting tables. If you cannot find a knife that meets your needs, please email us.

Item #	Dimensions	Cut. depth, mm	Application	Picture
Z60	28x5.6x1.5mm / pre-cut 2.2+0.15xTm / cut. angle 55° 81.5°	16.5	POT, EOT-250	
Z61	31x5.5x1.5mm / pre-cut 2.5+0.15xTm / angle 5° 81.5°	20		
Z62	28x4.45(5.6mm)x0.63mm / pre-cut 0.8+0.21xTm / angle 15° 78°	13.2	POT, EOT, EOT-250	
Z63	43x4.45(5.6mm)x0.63mm / pre-cut 0.8+0.12xTm / cut. angle 15° 83°	28		
Z64	67x5.7x1.5mm / pre-cut 3.5+0.03xTm / cut. angle 88° 60°	57	POT, EOT-250	
Z68	42x5.5x1.5mm / pre-cut 1.9+0.12xTm / cut. angle 5° 81.5°	29		
Z69	47x5.5x15mm / cut. angle 5° 85°	35		
Z71	50x8x1.5mm / angle 90° / V-cut knife like Summa 500-9826, Zund Z71	16	VCT	
Z73	60x19x0.90mm / For Martor Powercut, Zund S3 & G3, Summa F-serie cutters	16	VCT, T75	
Z201	30x6x1.5mm / pre-cut 6.4 Tm / cut. angle 15° 52°	17.4	EOT-250	
Z202	26x6x1.5mm / pre-cut 5.5 Tm / cut. angle 18° 65°	14.5		
Z204	28x5.7x0.63mm / pre-cut 0.67+0.12xTm / cut. angle 20° 45°	8.5	POT, EOT, EOT-250	
Z604	103x5.7x1.5mm / pre-cut 3.8+0.02xTm / cut. angle 45°	92	POT, EOT-250	
Z606	83x5.7x1.5mm / pre-cut 3.8+0.02xTm / cut. angle 45°	71.5		
Z608	67x5.7x1.5mm / pre-cut 3.8+0.03xTm / cut. angle 45° 88°	56		
Z701	60x8x1mm / angles 0°, 5°, 10°, 15°, 22.5°, 30°, 45°	25	VCT2	
Z50	Ø25xØ8x0.63mm / hole Ø8mm	3.5	DRT, PRT	
Z52	Ø32xØ8x0.63mm / hole Ø8mm	7		
Z53	Ø25xØ8x0.63mm / hole Ø8mm	2-3		
P945	Ø32x8x0.63mm / circular knife equivalent to Zünd Z52 & Z53	7		



Almost all knives suitable for Zünd flatbed cutting tables, as long as the mounting guidelines, application and cutting type are followed, can be used on CNC cutting machines from companies such as Atom, Bullmer, Colex, Esko, Gerber, Hasler, iEcho, Kongsberg, Mimaki, Summa, and JWEI.



Knives for Summa Cutting Machines

Tangential knives T36, T45, T60 are compatible with Summa F Series Flatbed Cutter, S Class 2 T Series Vinyl Cutter, S Class T Series Vinyl Cutter, SummaSign/SummaSign Pro T Series, OPOS-CAM Vinyl Cutters. Other blades are suitable for Summa F Series Flatbed Cutter Table equipped with the corresponding cutting tool.

Sollex Item #	Summa Item #	Summa Blade Name	Dimensions	Cutting Tool	Picture
T36	390-534	Summa 36° Tang. Blade	31xØ2.5mm / cut. depth 0.25mm / cut. angle 36°	Kiss cut	
T45	390-560	Summa 45° Dual Wedge Tang. Blade	31xØ2.5mm / cut. depth 1mm / cut. angle 45°	Kiss cut	
T60	390-550	Summa 60° Tang. Blade	31xØ2.5mm / cut. depth 1.2mm / cut. angle 60°	Kiss cut	
500-9801	500-9801	Summa 65° Single Edge Cutout Blade	25x4x0.63mm / cut. depth 12mm / cut. angle 65° tip angle 25°	Single edged	
500-9802	500-9802	Summa 50° Double Edge Cutout Blade	25x8x1.5 mm / cut. depth 4.8mm / cut angle 50° tip angle 80°	Double edged	
500-9803	500-9803	Summa 60° Double Edge Cutout Blade	25x8x1.5 mm / cut. depth 6.5mm / cut & point angles 60°	Double edged	
Z46	500-9807	Summa Heavy Duty Cutout Blade	50x6x1.5mm / cut. depth 20mm / pre-cut 1.0xTm / cut. angle 45°	Heavy duty	
Z20	500-9811	Summa Knife OT 65°-85° L25	25x4x0.63mm / depth 14.3mm / pre-cut 1.2+0.11xTm / cut. angle 63° 84°	EOT	
Z21	500-9812	Summa Knife OT 65°-85° L28	28x4x0.63mm / depth 17.2mm / pre-cut 1.6+0.11xTm / cut. angle 63° 84°	EOT	
Z22	500-9810	Summa Knife OT 63°-79° L25	25x4x0.63mm / cut. depth 14mm / pre-cut 1.2+0.2xTm / angle 63° 79°	EOT	
Z28	500-9814	Summa Knife OT 45°-86° L38	38x4x0.63mm / depth 26mm / pre-cut 1.9+0.07xTm / cut. angle 45° 86°	EOT	
Z23	500-9815	Summa Knife OT 45°-85° L33	33x4x0.63mm / depth 22mm / pre-cut 1.8+0.1xTm / cut. angle 45° 84.5°	EOT	
Z71	500-9826	V-Cut Blade, Hard Metal	50x8x1.5mm / cut. depth 16mm / angle 90°	V Cut	
Z50	500-9860	Summa Decagonal Knife, D25	Ø25xØ8x0.63mm / cut. depth 3.5mm / hole Ø8mm	Rotary	
Z52	500-9862	Summa Decagonal Knife, D32	Ø32xØ8x0.63mm / cut. depth 7mm / hole Ø8mm	Rotary	

Visit our website www.sollex.com and type "summa" in the search box to find all knives suitable for Summa cutting tables. If you cannot find a knife that meets your needs, please email us.

Knives for Esko / Kongsberg

Sollex offers a complete range of high-performance blades for Esko and Kongsberg cutting tables. The knives are engineered in tungsten carbide and optimized for materials from thin carton and adhesive foils to corrugated board, honeycomb, foam and rigid plastics. Each blade is designed for clean cuts, long service life, and reliable performance in demanding digital cutting workflows.



SR6313

Sollex Item #	Name	Description	Application	Picture
SR6223	Knife like BLD-SR6223	39xØ6x0.64mm / cut. depth 12mm / cut. angle 66° tip 24°	C/XP/XE, XL/XN/X/V	
SR6310	Knife like BLD-SR6310	39x6x0.64mm / cut. depth 20mm / cut angle 79°, tip 11°/25°	C/XP, XL/XN/X/V	
SR6313	Knife like BLD-SR6313	52xØ6x0.64mm / depth 32mm / cut. angle 8° 84°	C/XP, XL/XN/X	
SR6521	Knife like BLD-SR6521	76x6x1mm / cut. depth 55mm / 2.5° cutting edge angle	C/XP, XL/XN/X	
SR6522	Knife like BLD-SR6522	76xØ6x1mm / cut. depth 55mm / 3.7° cutting edge angle	C/XP, XL/XN/X	
SR6831	Knife like BLD-SR6831	105xØ6x1.5mm / depth 88mm / tip angle 2.5° cut angle 87.5°	XL/XN/X	
SR6832	Knife like BLD-SR6832	104x6x1.5mm / cut. depth 80mm / cut. angle 1.5° / 88.5°	XL/XN/X	
SR8172	Knife like BLD-SR8172	40xØ8x0.54mm / cut. depth 4.5mm / angle 40°	C/XP/XE, XL/XN/X/V	
Z17	Knife like BLD-SF217	25x5.6x0.63mm / pre-cut 0.47xTm / cut. angle 65°	C/XP/XE, XL/XN/X/V	
Z20	Knife like BLD-SF427	25x4x0.63mm / depth 14.3mm / pre-cut 1.2+0.11xTm / cut. angle 63° 84°	C/XP/XE, XL/XN/X/V	
500-9802	Knife like BLD-DF112	25x8x1.5 mm / cut. depth 4.8mm / cut angle 50° tip angle 80°	C/XP/XE	
500-9803	Knife like BLD-DF113	25x8x1.5 mm / cut. depth 6.5mm / cut & point angles 60°	C/XP/XE	
61329	Knife like BLD-TZ129	60x19x0.90mm / cut. depth: 16/18.2mm	C/XP, XL/XN/X/V	
Z50	Knife like BLD-RC110	Ø25xØ8x0.63mm / cut. depth 3.5mm / hole Ø8mm	XE/C/XP, XL/XN/X	

■ **Pro tip:** Match the blade geometry to material thickness and abrasiveness for cleaner cuts and longer tool life.

Not sure which knife fits your material? Contact Sollex for advice and fast worldwide delivery.

Visit our website www.sollex.com and type "esko" in the search box to find all knives for Esko or Kongsberg cutting tables. If you cannot find a knife that meets your needs, please email us.

**E46 / Z46**

Knives for iEcho Cutting Machines

Sollex knives match and are compatible with the following iEcho cutting tables and machines:

- BK high speed digital cutting system
- PK, PK4 automatic intelligent cutting system
- BK2, BK3, BK4 high speed digital cutting system
- SK2 high-precision multi-industry flexible material system
- GLSC, GLSA automatic multi-layer cutting system

Sollex Item #	iEcho Item #
Z1	iEcho E1 Kiss - Cut Blade KCT
Z2	iEcho E2 Kiss - Cut Blade KCT
Z16	iEcho E16 Drag & Oscillating Blade UCT EOT
Z17	iEcho E17 Drag & Oscillating Blade UCT EOT
Z20	iEcho E20 Oscillating Blade EOT
Z21	iEcho E21 Oscillating Blade EOT
Z46	iEcho E46 Drag Blade UCT

Sollex Item #	iEcho Item #
Z60	iEcho E60 Pneum. & Oscil. Blade EOT POT
Z61	iEcho E61 Pneumatic Blade POT
Z62	iEcho E62 Pneumatic Blade POT
Z63	iEcho E63 Pneumatic Blade POT
Z68	iEcho Pneumatic & Oscillating Blade EOT POT
Z69	iEcho Pneumatic & Oscillating Blade EOT POT
Z71	iEcho V-Cut Blade

**30773**

Knives for Aristo, Atom, Elitron, Gerber, Roland

Sollex offers high-quality cemented tungsten carbide knives for a wide range of plotters and CNC digital cutting machines.

Sollex Item #	Name	Description
7598	Knife like Aristo 07265 Ø6mm	36x4.8x6mm, Ø6mm / cut. depth 15mm / angle 13.4°
7267	Knife like Aristo 07267 Ø6mm	36x4.8x6mm, Ø6mm / cut. depth 13mm / angle 12°
33856	Knife like Atom 01033856 Flashcut 65°-25°	28x5.5x0.63mm / cut.depth 14mm / cut. angle 65°
30773	Knife like Atom 01030773 Flashcut 75°-15°	28x5.5x0.63mm / cut.depth 11mm / cut. angle 75°
P898V	Knife like Atom 01040505 30mm	58.3x14x1.5mm / cut. depth 30mm / rounded tip
P922V	Knife like Atom 01040505 33.4mm	58.3x14x1.5mm / cut. depth 33.4 mm / rounded tip
E502	Knife like Elitron 135502 25°	35x7x1mm / depth 14mm / type Elitron 8MCLMA 135502
E533	Knife like Elitron 135533 25°	35x7x1mm / cut depth 12mm / cut. angle 65° tip angle 25°
P820-30	Knife like Gerber TL-051 30°	17.3x6.4x0.50mm / depth 3.5mm / hole Ø2.7mm / cut angle 30°
P820-45	Knife like Gerber TL-052 45°	17.3x6.4x0.50mm / depth 6mm / hole Ø2.7mm / cut angle 45°
P820-55	Knife like Gerber TL-166 55°	17.7x6.4x0.50mm / depth 8mm / hole Ø2.7mm / cut angle 55°
P883	Knife like Roland 45° Ø2mm	23mm Ø2mm / offset 0.25mm / angle 45°
P883B	Knife like Roland 30° Ø2mm	23.5mm Ø2mm / offset 0.25mm / angle 30-32°

Solid Tungsten Carbide Routing Bits Ø6mm

for milling, pattern cutting in e.g. aluminum composites, PVC, acrylics etc.




R209

Routing Bits for Cutting Machines

Sollex router bits are suitable for a wide range of milling machines and digital cutter machines equipped with a routing tool head which requires shank diameter of 6mm, e.g. Zund Cutter with R45-s / RM-A / RM-A QC / RM-L / RM-S. Examples of materials that can be processed:

- Aluminium composite Dibond, Alupanel, Gobond, Dilite, Forex etc.
- Expanded PVC
- PA 6.6, PC, PE, PET, PETG, PMMA Acryl, PP, PS, PVC-U plastic
- PE / PUR / PMI rigid foam board, XPS rigid foam insulation board
- Wood, MDF, MPX, Plywood

Item #	Name	Shank Ø, mm	Routing Ø, mm	Routing depth, mm	Length, mm	Picture
R108	Router bits Ø3/Ø6 6mm	6	3	6	50	
R141	Router bits Ø10/Ø6 5mm, V-shape 90°	6	10	5	60	
R202	Router bits Ø2/Ø6 6mm, universal	6	2	6	58	
R203	Router bits Ø3/Ø6 11mm, universal	6	3	11	58	
R204	Router bits Ø4/Ø6 14mm, universal	6	4	14	58	
R205	Router bits Ø5/Ø6 16mm	6	5	16	60	
R206	Router bits Ø6/Ø6 22mm	6	6	22	60	
R208	Router bits Ø3/Ø6 8mm	6	3	8	60	
R209	Router bits Ø4/Ø6 8mm	6	4	8	60	
R502	Router bits Ø2/Ø6 6mm, belagd universal	6	2	6	58	
R503	Router bits Ø3/Ø6 11mm, belagd universal	6	3	11	58	
R505	Router bits Ø5/Ø6 16mm, coated multipurpose	6	5	16	60	
R506	Router bits Ø6/Ø6 22mm, coated multipurpose	6	6	22	60	



Handheld Cutting Tools

9 / 18mm snap-off knives, blades, scalpels and safety knives





18mm Snap-Off Knives

18 mm snap-off knives are versatile cutting tools ideal for professionals working with drywall, flooring, insulation, rubber, and cardboard. Their segmented blades allow quick renewal of the cutting edge for uninterrupted precision. Sollex offers a premium selection of durable metal-handle knives with Auto-Lock systems and ergonomic grips.

5180 Snap-Off Knife 18mm NT Cutter L-500GRP



NT Cutter L-500GRP is a durable utility knife for professional use. Built with a full metal handle and a reinforced 1 mm steel blade rail. Auto-Lock function ensure secure operation. Supplied with one 18 mm snap-off blade, it is ideal to cut drywall, insulation, carpets, plastic, and cardboard. A built-in snapper allows for quick blade renewal.

7180 Snap-Off Knife 18mm NT Cutter L-2000RP



NT Cutter L-2000RP is a high-performance snap-off knife, designed for precision cutting of drywall, vinyl flooring, carpets, and packaging materials. Its robust magnesium die-cast body, screw-lock mechanism, and anti-slip grip ensure durability and control. The knife holds up to 6 spare blades in its integrated magazine for quick replacement, making it ideal for both construction sites and warehouse tasks.

[More snap-off knives and blades are available at sollex.com](https://www.sollex.com)



18mm Snap-Off Blades For Professional Use

Sollex Item #	Name	Description	Picture
180P	18mm Universal Snap-off Blade PRO	- carbon steel with high chromium content - long durability and sharpness	
180L	18mm Snap-off Blade TiN-Coated	- sharp, extra-durable blades - titanium coating on the cutting edge	
180LUS	18mm Snap-off Blade Without Segments	- sharp solid non-segmented blades - can be used in industrial machinery	
180S	18mm Snap-Off Blade X Sharp, Black	- exceptional sharpness and durability - higher hardness (64HRC) than the standard blades	

*Sollex 18mm blades (100 x 18 x 0.50mm) fit most utility knives on the market:
Anza, Bosch, DeWalt, Hultafors, Olfa, Makita, Milwaukee, NT-Cutter, Stanley and others.*

9mm Snap-Off Knives

9mm snap-off blades are popular tools for precision cutting in craft, foiling, wrapping and industrial applications. For extra precision, 9mm blades are available with a 30-degree point, which is particularly useful for detailed cutting work such as graphic design and model making.



5090 Snap-Off Knife 9mm | Olfa SVR-2



Stainless steel Olfa 9mm SVR-2 Auto-Lock knife is suitable for precision work, artwork, sign making, foiling, car wrapping. One 9mm ABS precision snap-off blade is included.

5190 Snap-Off Knife 9mm | NT Cutter A-300GR



Japanese small snap-off knife is widely used in print, graphics, vinyl wrapping, sign making, plastic edge trim, hobby project, precision trimming, deburring, car wrapping and who require precision cutting.

9mm Snap-Off Blades For Professional Use

Sollex Item #	Name	Description	Picture
90P	9mm Universal Snap-off Blade PRO	- carbon steel with high chromium content - long durability and sharpness	
90US	9mm Snap-off Blade Without Segments	- sharp solid non-segmented blades - can be used in industrial machinery	
9030T	9mm Snap-Off Blade 30°, TiN-Coated	- for precision and detailed work - long durability even when cutting adhesive materials	



ANGLE: 30°

7 BREAKABLE SEGMENTS

TITANIUM COATING

9030T - The Best Blade Choice for Vinyl Wrapping

Sollex 9mm blades (80 x 9 x 0.40mm) fit most snap-off knives on the market:
Anza, Bosch, DeWalt, Hultafors, Olfa, Makita, Milwaukee, NT-Cutter, Stanley and others.



Scalpels & Pen Knives for Craft, DIY

Scalpels and precision blades are designed for detailed cutting when fine cut is essential. Ideal for craftwork, model building, prototyping, vinyl wrapping. Scalpels offer clean cuts on paper, film, textiles, vinyl, lightweight plastics.

Sollex also offers ultra-sharp Swann-Morton medical scalpels and a wide range of compatible blades.

500 Precision pen knife



Handy 500 and 500G pen knives for detail work and hobby. Suitable for cutting clichés and signage material.

500G Precision pen knife



Compatible blades: Sollex blades art. 900, 900-10, 900-200, purchase separately.



700 Precision craft knife without awl



Robust scalpel knives 700 and 701 for detail work and for cutting paper, plastic film, tape, leather. Ideal knife for architects, shoemakers and drawing offices. 701 is equipped with a practical awl which makes it easy to make holes in materials.

701 Precision craft knife with awl



Compatible blades: Sollex blades art. 900, 900-10, 900-200, purchase separately.



SM3 Scalpel handle Swann-Morton 3



Swann-Morton SM3 and SM4 scalpel knives are precision stainless steel handles intended for professional surgical applications, however they are also highly favored among craftsmen and professionals.

SM4 Scalpel handle Swann-Morton 4



The scalpels feature an integrated measuring scale on the handle.



Compatible blades for SM3: Swann Morton scalpel blades 6, 9, 10, 10A, E/11, 11, 11P, 12, 12D, 13, 14, 15, 15A, 15C, 15T, 16, 40 and SG3

Compatible blades for SM4: Swann Morton scalpel blades 18, 19, 20, 21, 22, 22A, 23, 24, 25, 25A, 26, 27 and 36

[More scalpel knives and blades are available at sollex.com](http://sollex.com)



Martor Safety Knives

Martor high-quality safety knives protect not only the user, but also the product in the package. Sollex is an official distributor of Martor products in Sweden and Scandinavia. We stock most of the knives and blades to ensure fast deliveries. You can order the entire Martor product range at www.sollex.se or order@sollex.se.



SECUNORM

Automatic blade retraction = High safety



SECUPRO

Fully automatic blade retraction = Very high safety



SECUMAX

Concealed blade = Maximum safety

SECUNORM 380

NO. 380001



- Made of glass fibre reinforced plastic
- **73 mm cutting depth**
- Automatic blade retraction
- High work safety
- Incl. soft grip, large slider and safety lock
- For thick materials (foam, cardboard etc.)



SECUNORM 500

NO. 50000110



- Made of aluminium
- **17 mm cutting depth**
- Automatic blade retraction
- High work safety
- Incl. soft grip and double-sided slider
- Ideal for up to 3-ply cardboard and more



SECUPRO 625

NO. 625001



- Made of aluminium
- **21 mm cutting depth**
- Fully automatic blade retraction
- Very high work safety
- Incl. soft grip, smooth lever and safety lock
- Ideal for up to 3-ply cardboard and more



SECUMAX 150

NO. 150001



- Made of recycled plastic (at least 80 %)
- **6mm cutting depth**
- Concealed blade, non-changeable, thickness 0.30 mm
- Maximum work safety, goods protection
- Incl. 2 cutting edges, splitter and scraper
- Ideal for up to 2-ply cardboard and more



SECUMAX 350

NO. 350001



- Made of glass fibre reinforced plastic
- **6mm cutting depth**
- Concealed blade
- Maximum work safety and maximum protection of goods
- Incl. soft grip, blade head and spare blade



SECUMAX Snitty

NO. 43037



- Made of glass fibre reinforced plastic
- **1.9mm cutting depth**
- Concealed blade
- The blade is angled at 45° for easier cutting
- Maximum work safety
- Ideal for paper and film cutting



[Explore many other Martor safety knives, sax and cutters at www.sollex.com](http://www.sollex.com)

Sollex AB

Org.nr: 556360-6887

Address:

Box 5161
20071 Malmö
Sweden

+46 35 - 15 75 00 | order@sollex.se | www.sollex.com



CUTTING EDGE

PERFORMANCE

KNIVES, BLADES AND INDUSTRIAL RAZOR BLADES