

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **FILM CLEANER SPRAY**
Cleaning Agent

Article number: 105198

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaning material

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TETENAL 1847 GmbH
Schützenwall 31-35
D-22844 Norderstedt /Germany
Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296
www.tetenal.com; E-mail: info@tetenal.com
TETENAL 1847 GmbH
Schützenwall 31-35
D-22844 Norderstedt /Germany
Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296
www.tetenal.com; E-mail: info@tetenal.com

Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com

1.4 Emergency telephone number:

Poison Information Centre Germany: +49 (0) 30 - 30686 700 (English and German 24 hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS07

Signal word Danger

Hazard-determining components of labelling:

Petrohol

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaninig Agent

(Contd. of page 1)

- P260 Do not breathe spray.
 P271 Use only outdoors or in a well-ventilated area.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
 P501 Dispose of contents/container in accordance with local regulations.

Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards

Results of PBT and vPvB assessment

- . **PBT:** Not applicable.
 . **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

. **Description:** Mixture of substances listed below and with nonhazardous additions.

Dangerous components:

CAS: 67-63-0	Petrohol	25-50%
EINECS: 200-661-7	⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-0		
Reg.nr.: 01-2119457558-25		
CAS: 106-97-8	butane, pure	25-50%
EINECS: 203-448-7	⚠ Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Index number: 601-004-00-0		
CAS: 74-98-6	propane	10-25%
EINECS: 200-827-9	⚠ Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Index number: 601-003-00-5		
CAS: 75-28-5	isobutane	1-5%
EINECS: 200-857-2	⚠ Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Index number: 601-004-00-0		

Additional information:

Regulation EC No 648/2004 on detergents: aliphatic hydrocarbons > 30%
 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

. **General information:** Immediately remove any clothing/shoes soiled by the product.

. **After inhalation:** Supply fresh air.

. **After skin contact:** Immediately rinse with water.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. **After swallowing:** If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EN

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: **FILM CLEANER SPRAY**
Cleaninig Agent

(Contd. of page 2)

SECTION 5: Firefighting measures

- . **5.1 Extinguishing media**
- . **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- . **For safety reasons unsuitable extinguishing agents:** Water with full jet
- . **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- . **5.3 Advice for firefighters**
- . **Protective equipment:** Do not inhale explosion gases or combustion gases.
- . **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- . **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- . **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- . **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- . **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect from heat.
Protect against electrostatic charges.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
Do not spray onto a naked flame or any incandescent material.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in the original receptacle.
Observe official regulations on storing packagings with pressurised containers.
- . **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from flammable substances.
Store away from oxidising agents.
- . **Further information about storage conditions:**
Keep container tightly sealed.
Do not seal receptacle gas tight.

(Contd. on page 4)

EN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaninig Agent

(Contd. of page 3)

Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Store under lock and key and out of the reach of children.
Recommended storage temperature: 5-30°C
. **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

. **Additional information about design of technical facilities:** No further data; see item 7.

. **8.1 Control parameters**

. **Ingredients with limit values that require monitoring at the workplace:**

67-63-0 Petrohol (25-50%)

WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm
Long-term value: 999 mg/m³, 400 ppm
PEL (USA) Long-term value: 980 mg/m³, 400 ppm
REL (USA) Short-term value: 1225 mg/m³, 500 ppm
Long-term value: 980 mg/m³, 400 ppm
TLV (USA) Short-term value: 984 mg/m³, 400 ppm
Long-term value: 492 mg/m³, 200 ppm
BEI

106-97-8 butane, pure (25-50%)

WEL (Great Britain) Short-term value: 1810 mg/m³, 750 ppm
Long-term value: 1450 mg/m³, 600 ppm
Carc (if more than 0.1% of buta-1.3-diene)
REL (USA) Long-term value: 1900 mg/m³, 800 ppm
TLV (USA) Short-term value: 2370 mg/m³, 1000 ppm
(EX)

74-98-6 propane (10-<25%)

PEL (USA) Long-term value: 1800 mg/m³, 1000 ppm
REL (USA) Long-term value: 1800 mg/m³, 1000 ppm
TLV (USA) refer to Appendix F in TLVs&BEIs book; D, EX

75-28-5 isobutane (1-5%)

TLV (USA) Short-term value: 2370 mg/m³, 1000 ppm
(EX)

. **Ingredients with biological limit values:**

67-63-0 Petrohol (25-50%)

BEI (USA) 40 mg/L
Medium: urine
Time: end of shift at end of workweek
Parameter: Acetone (background, nonspecific)

. **Additional information:** The lists valid during the making were used as basis.

. **8.2 Exposure controls**

. **Personal protective equipment:**

. **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.

(Contd. on page 5)

EN

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaninig Agent

(Contd. of page 4)

Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

No personal respiratory protection required. In case of insufficient ventilation, excess of workplace limits, excessive odor or dusts, fibers and fumes, use self-contained breathing apparatus or breathing apparatus with filter type P2 or P3 according to EN 143.

Short term filter device:

Typ A

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Aerosol
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: Not determined.

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Not applicable, as aerosol.

Flash point: -60 °C

Flammability (solid, gas): Not applicable.

Ignition temperature: 365 °C

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaning Agent

(Contd. of page 5)

. Decomposition temperature:	Not determined.
. Auto-ignition temperature:	Product is not selfigniting.
. Explosive properties:	Not determined.
. Explosion limits:	
Lower:	1.5 Vol %
Upper:	12.0 Vol %
. Vapour pressure at 20 °C:	4100 hPa
. Density at 20 °C:	0.65 g/cm ³
. Relative density	Not determined.
. Vapour density	Not determined.
. Evaporation rate	Not applicable.
. Solubility in / Miscibility with water:	Fully miscible.
. Partition coefficient: n-octanol/water:	Not determined.
. Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
. Solvent content:	
Organic solvents:	100 %
VOC (EC)	100.00 %
. 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** Stable at environment temperature.
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** Under certain fire conditions, traces of other toxic gases cannot be excluded.
- . **10.6 Hazardous decomposition products:** Irritant gases/vapours

SECTION 11: Toxicological information

- . **11.1 Information on toxicological effects**
- . **Acute toxicity** Based on available data, the classification criteria are not met.
- . **LD/LC50 values relevant for classification:**
- 67-63-0 Petrohol**
- Oral LD50 3600 mg/kg (mouse)
- 5045 mg/kg (rat)
- Dermal LD50 12800 mg/kg (rabbit)
- Inhalative LC50 4h: 30 mg/l (rat)
- . **Primary irritant effect:**
- . **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 7)

-EN-

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaninig Agent

(Contd. of page 6)

- . **Serious eye damage/irritation**
Causes serious eye irritation.
- . **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- . **Acute effects (acute toxicity, irritation and corrosivity)**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant
- . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- . **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- . **Carcinogenicity** Based on available data, the classification criteria are not met.
- . **Reproductive toxicity** Based on available data, the classification criteria are not met.
- . **STOT-single exposure**
May cause drowsiness or dizziness.
- . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- . **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- . **12.1 Toxicity**
- . **Aquatic toxicity:**

- 67-63-0 Petrohol**
- EC50 24h: >1000 mg/l (alg)
- 24h. 5102 mg/l (daphnia magna (Water flea))
- LC50 96h: 9640 mg/l (fish: Pimephales promelas)
- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.
- . **Additional ecological information:**
- . **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- . **12.5 Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- . **13.1 Waste treatment methods**
- . **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . **European waste catalogue**

- 15 01 10* packaging containing residues of or contaminated by dangerous substances
- 15 01 04 metallic packaging
- . **Uncleaned packaging:**
- . **Recommendation:** Disposal must be made according to official regulations.

- EN -

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaning Agent

(Contd. of page 7)

SECTION 14: Transport information

. 14.1 UN-Number . ADR, IMDG, IATA	UN1950
. 14.2 UN proper shipping name . ADR . IMDG . IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
. 14.3 Transport hazard class(es) . ADR . Class . Label	2 5F Gases. 2.1
. IMDG, IATA . Class . Label	2.1 2.1
. 14.4 Packing group . ADR, IMDG, IATA	Void
. 14.5 Environmental hazards: . Marine pollutant:	No
. 14.6 Special precautions for user . Hazard identification number (Kemler code): . EMS Number: . Stowage Code . Segregation Code	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
. Transport/Additional information: . ADR . Limited quantities (LQ) . Excepted quantities (EQ) . Transport category . Tunnel restriction code	 1L Code: E0 Not permitted as Excepted Quantity 2 D
. IMDG . Limited quantities (LQ) . Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2020

version no: 7

Revision: 27.10.2020

Trade name: FILM CLEANER SPRAY
Cleaning Agent

(Contd. of page 8)

. UN "Model Regulation": UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

. Labelling according to Regulation (EC) No 1272/2008 GHS label elements

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

. National regulations:

. Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons

≥30%

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

. Contact: E: sida@tetenal.com

. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases – Category 1

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

. * Data compared to the previous version altered.

EN