

Model	Item Number	Price SEK (including VAT)	Product information and dimensions
-------	-------------	---------------------------------	------------------------------------

Protective Lens Covers and Adapters

Transparent Lens Cover Bikini Style Objective and Ocular, Black

Transparent Lens Cover Bikini Style Objective and Ocular for 1-8x24 Exos	406-80	306	for 1-8x24 Exos
Transparent Lens Cover Bikini Style Objective and Ocular for 4-16x56 Polar T96	409-55	306	for 4-16x56 Polar T96
Transparent Lens Cover Bikini Style Objective and Ocular for 2.5-10x56 Zenith	410-62	306	for 2.5-10x56 Zenith
Transparent Lens Cover Bikini Style Objective and Ocular for 3-12x50 Zenith, Klassik and PM II	409-41	306	for 3-12x50 Zenith, Klassik and PM II
Transparent Lens Cover Bikini Style Objective and Ocular for 2.5-10x56 and 8x56 Klassik	408-62	306	for 2.5-10x56 and 8x56 Klassik
Transparent Lens Cover Bikini Style Objective and Ocular for 3-12x42 Klassik	409-451	306	for 3-12x42 Klassik
Transparent Lens Cover Bikini Style Objective and Ocular for 4-16x50 Klassik	409-47	306	for 4-16x50 Klassik
Transparent Lens Cover Bikini Style Objective and Ocular for 1-8x24 PM II ShortDot Dual CC	409-83	306	for 1-8x24 PM II ShortDot Dual CC
Transparent Lens Cover Bikini Style Objective and Ocular for 5-20x50 PM II Ultra Short	409-73	306	for 5-20x50 PM II Ultra Short

Tenebraex Objective Lens Cover without Adapter Ring, Black

Tenebraex Objective Lens Cover without Adapter Ring Ø: 24 mm	971-6124	539	Ø: 24 mm
Tenebraex Objective Lens Cover without Adapter Ring Ø: 42 mm	971-6250	612	Ø: 42 mm
Tenebraex Objective Lens Cover without Adapter Ring Ø: 50 mm	971-6150	612	Ø: 50 mm
Tenebraex Objective Lens Cover without Adapter Ring Ø: 56 mm	971-6156	661	Ø: 56 mm
Butler Creek Flip-Open Objective Lens Cover Ø: 56 mm	971-6456	416	Ø: 56 mm

Adapter Ring for Tenebraex Objective Lens Cover, Black

Adapter Ring for Tenebraex Objective Lens Cover Ø: 24 mm	971-61241	539	Ø: 24 mm
Adapter Ring for Tenebraex Objective Lens Cover Ø: 42 mm	971-61421	539	Ø: 42 mm
Adapter Ring for Tenebraex Objective Lens Cover Ø: 50 mm	971-61502	539	Ø: 50 mm
Adapter Ring for Tenebraex Objective Lens Cover Ø: 56 mm	971-61562	539	Ø: 56 mm

Tenebraex Objective Lens Cover without Adapter Ring, RAL 8000

Tenebraex Objective Lens Cover without Adapter Ring Ø: 24 mm	971-6124-45	563	Ø: 24 mm
Tenebraex Objective Lens Cover without Adapter Ring Ø: 50 mm	971-6150-45	588	Ø: 50 mm
Tenebraex Objective Lens Cover without Adapter Ring Ø: 56 mm	971-6156-45	612	Ø: 56 mm

Adapter Ring for Tenebraex Objective Lens Cover, RAL 8000

Adapter Ring for Tenebraex Objective Lens Cover Ø: 24 mm	971-61241-45	539	Ø: 24 mm
Adapter Ring for Tenebraex Objective Lens Cover Ø: 50 mm	971-61502-45	539	Ø: 50 mm
Adapter Ring for Tenebraex Objective Lens Cover Ø: 56 mm	971-61562-45	539	Ø: 56 mm

Tenebraex Ocular Lens Cover without Adapter Ring, Black

Tenebraex Ocular Lens Cover without Adapter Ring Ø: 45.8 mm	971-6246	588	Ø: 45.8 mm
Tenebraex Objective Lens Cover without Adapter Ring Ø: 42 mm	971-6250	612	Ø: 42 mm
Butler Creek Flip-Open Ocular Lens Cover Ø: 43 mm	971-6543	416	Ø: 43 mm

Tenebraex Adapter Ring for Ocular Lens Cover, Black

Tenebraex Adapter Ring for Ocular Lens Cover Ø: 43 mm	971-62431	710	Ø: 43 mm
Tenebraex Adapter Ring for Ocular Lens Cover Ø: 45 mm	971-62451	710	Ø: 45 mm

Tenebraex Ocular Lens Cover without Adapter Ring, RAL 8000

Tenebraex Ocular Lens Cover without Adapter Ring Ø: 45.8 mm	971-39-004	612	Ø: 45.8 mm
Tenebraex Ocular Lens Cover without Adapter Ring Ø: 50 mm	971-6250-45	637	Ø: 50 mm

Sun Shades

Sun Shade Objective, Black

Sun Shade Objective Ø: 24 mm, L: 25 mm	971-6324	845	Ø: 24 mm, L: 25 mm
Sun Shade Objective Ø: 42 mm, L: 50 mm	971-44250	845	Ø: 42 mm, L: 50 mm
Sun Shade Objective Ø: 50 mm, L: 50 mm	971-45050	845	Ø: 50 mm, L: 50 mm
Sun Shade Objective Ø: 56 mm, L: 50 mm	971-45650	845	Ø: 56 mm, L: 50 mm

Sun Shade Objective, RAL 8000

Sun Shade Objective Ø: 24 mm, L: 25 mm	971-6324-45	968	Ø: 24 mm, L: 25 mm
Sun Shade Objective Ø: 50 mm, L: 50 mm	971-45050-45	968	Ø: 50 mm, L: 50 mm
Sun Shade Objective Ø: 56 mm, L: 50 mm	971-45650-45	968	Ø: 56 mm, L: 50 mm

ARDs (Anti-Reflection Devices) & Filters

killFlash ARD Objective with double sided thread, Black			
killFlash ARD Objective with double sided thread Ø: 24 mm	971-60241	2 939	Ø: 24 mm
killFlash ARD Objective with double sided thread Ø: 50 mm	971-60501	3 184	Ø: 50 mm
killFlash ARD Objective with double sided thread Ø: 56 mm	971-60561	3 307	Ø: 56 mm

killFlash ARD Objective with double sided thread, RAL 8000			
killFlash ARD Objective with double sided thread Ø: 24 mm	971-60241-45	3 062	Ø: 24 mm
killFlash ARD Objective with double sided thread Ø: 50 mm	971-60501-45	3 307	Ø: 50 mm
killFlash ARD Objective with double sided thread Ø: 56 mm	971-60561-45	3 429	Ø: 56 mm

Yellow Filter Objective with double sided thread, Black			
Yellow Filter Objective with double sided thread Ø: 24 mm	971-7024	3 674	Ø: 24 mm
Yellow Filter Objective with double sided thread Ø: 50 mm	971-7050	4 164	Ø: 50 mm
Yellow Filter Objective with double sided thread Ø: 56 mm	971-7056	4 409	Ø: 56 mm

Yellow Filter Objective with double sided thread, RAL 8000			
Yellow Filter Objective with double sided thread Ø: 24 mm	971-7024-45	3 797	Ø: 24 mm
Yellow Filter Objective with double sided thread Ø: 50 mm	971-7050-45	4 287	Ø: 50 mm
Yellow Filter Objective with double sided thread Ø: 56 mm	971-7056-45	4 532	Ø: 56 mm

Grey Filter Objective with double sided thread, Black			
Grey Filter Objective with double sided thread Ø: 24 mm	971-7124	3 674	Ø: 24 mm
Grey Filter Objective with double sided thread Ø: 50 mm	971-7150	4 164	Ø: 50 mm
Grey Filter Objective with double sided thread Ø: 56 mm	971-7156	4 409	Ø: 56 mm

Grey Filter Objective with double sided thread, RAL 8000			
Grey Filter Objective with double sided thread Ø: 24 mm	971-7124-45	3 797	Ø: 24 mm
Grey Filter Objective with double sided thread Ø: 50 mm	971-7150-45	4 287	Ø: 50 mm
Grey Filter Objective with double sided thread Ø: 56 mm	971-7156-45	4 532	Ø: 56 mm

Polarization Filter Ocular Slip-on, Black			
Polarization Filter Ocular Slip-on Ø: 43 mm, for Klassik (except 8x56), Zenith and PM II Series	971-62	3 062	Ø: 43 mm, for Klassik (except 8x56), Zenith and PM II Series
Polarization Filter Ocular with Thread Ø: 50 mm, Thread: M41x0.5, for PM II Ultra Short and PM	971-00-500	6 859	Ø: 50 mm, Thread: M41x0.5, for PM II Ultra Short and PM II High Power Series as well as 3-18x42, 1-8x24 PM II ShortDot Dual CC and 6-36x56 PM II High Performance

Polarization Filter Ocular with Thread, RAL 8000			
Polarization Filter Ocular with Thread Ø: 50 mm, Thread: M41x0.5, for PM II Ultra Short and PM	971-00-500-45	6 981	Ø: 50 mm, Thread: M41x0.5, for PM II Ultra Short and PM II High Power Series as well as 1-8x24 PM II ShortDot Dual CC and 6-36x56 PM II High Performance

Throw Lever

Throw Lever, Black			
Throw Lever H: ca. 32 mm, W: 18 mm	971-06841	1 592	H: ca. 32 mm, W: 18 mm

Throw Lever, RAL 8000			
Throw Lever H: ca. 32 mm, W: 18 mm	971-06841-45	1 776	H: ca. 32 mm, W: 18 mm

Light Protection

Light Protection Ocular Slip-on, Black			
Light Protection Ocular Slip-on Ø: 43 mm, L: 90 mm, for Klassik (except 8x56), Zenith and PM II	971-291	416	Ø: 43 mm, L: 90 mm, for Klassik (except 8x56), Zenith and PM II Series
Light Protection Ocular with Adapter Ring and Thread Ø: 50 mm, L: 90 mm, Thread: M41x0.5, for PM II Ultra Short and PM	971-00-511	894	Ø: 50 mm, L: 90 mm, Thread: M41x0.5, for PM II Ultra Short and PM II High Power Series as well as 3-18x42, 1-8x24 PM II ShortDot Dual CC and 6-36x56 PM II High Performance

Bags

Tactical Bag, Black			
Tactical Bag Size: S (LxWxH: 330x90x90 mm)	971-191	1 470	Size: S (LxWxH: 330x90x90 mm)
Tactical Bag Size: M (LxWxH: 370x90x90 mm)	971-192	1 592	Size: M (LxWxH: 370x90x90 mm)
Tactical Bag Size: L (LxWxH: 410x100x100 mm)	971-193	1 715	Size: L (LxWxH: 410x100x100 mm)
Tactical Bag, Coyote			
Tactical Bag Size: S (LxWxH: 330x90x90 mm)	971-191-45	1 531	Size: S (LxWxH: 330x90x90 mm)
Tactical Bag Size: M (LxWxH: 370x90x90 mm)	971-192-45	1 653	Size: M (LxWxH: 370x90x90 mm)
Tactical Bag Size: L (LxWxH: 410x100x100 mm)	971-193-45	1 776	Size: L (LxWxH: 410x100x100 mm)

Cleaning

Optic Cleaning Kit Pro			
Optic Cleaning Kit Pro Bag (LxWxH): 145x80x50 mm incl. LensPen, Cleaning Spray and Microfi	971-947	919	Bag (LxWxH): 145x80x50 mm incl. LensPen, Cleaning Spray and Microfiber Cloth

Battery Cap

Battery Cap, Black			
Battery Cap 3-18x42 Meta	710-9958	551	3-18x42 Meta
Battery Cap for all riflescopes of the Hunting Line	710-19038	551	for all riflescopes of the Hunting Line
Battery Cap for all riflescopes of the Defence and Competition Line	710-99831	551	for all riflescopes of the Defence and Competition Line
Battery Cap, RAL 8000			
Battery Cap for all riflescopes of the Defence and Competition Line RAL 8000	710-99832-45	674	for all riflescopes of the Defence and Competition Line RAL 8000

Turret caps and accessories

Protective Cap Posicon Adjustments without Energy Container, Black			
Protective Cap Posicon Adjustments without Energy Container for 3-18x42 Meta	033-61	441	for 3-18x42 Meta
Protective Cap Posicon Adjustments without Energy Container for Polar T96 and Zenith Series	033-60	441	for Polar T96 and Zenith Series also for 1-8x24 Exos
Protective Cap Posicon Adjustments without Energy Container for Klassik Series	033-40	441	for Klassik Series
Protective Cap Posicon Adjustments with Energy Container and Battery, Black			
Protective Cap Posicon Adjustments with Energy Container and Battery for 3-18x42 Meta	710-9907	514	for 3-18x42 Meta
Protective Cap Posicon Adjustments with Energy Container and Battery for Polar T96 and Zenith	710-9901	514	for Polar T96 and Zenith Series
Protective Cap Posicon Adjustments with Energy Container and Battery for Klassik Series	710-9800	514	for Klassik Series
Protective cap for windage turret ST ZC CT (windage), Black			
Protective cap for windage turret ST ZC CT (windage)	033-77	490	for windage turret ST ZC CT (windage)
Protective cap for windage turret ST ZC CT (windage), RAL 8000			
Protective cap for windage turret ST ZC CT (windage)	033-77-45	612	for windage turret ST ZC CT (windage)
Turret Cap with 6 Position Indicators 1–6 engraved, Black/Silver-coloured			
Turret Cap with 6 Position Indicators 1–6 engraved for ST II-B, Turret rotation cw, incl. Allen key	710-304-131	1 947	for ST II-B, Turret rotation cw, incl. Allen key and screws
Turret Cap with 6 Position Indicators 1–6 engraved for ST II-B, Turret rotation ccw, incl. Allen key	710-304-130	1 947	for ST II-B, Turret rotation ccw, incl. Allen key and screws
Turret Cap with 6 Position Indicators 1–6 engraved for BDC II-B, Turret rotation cw, incl. Allen ke	710-304-650	1 947	for BDC II-B, Turret rotation cw, incl. Allen key and screws
6 Position Indicators 1–6 engraved for ST II-B and BDC II-B, incl. Allen key and screws	710-304-135	1 347	for ST II-B and BDC II-B, incl. Allen key and screws
6 Position Indicators without engraving for ST II-B and BDC II-B, incl. Allen key and screws	710-304-136	1 213	for ST II-B and BDC II-B, incl. Allen key and screws