



Safety Data Sheet

Section 1 – Identification

Product Identifier: Barbicide®

Other means of Identification: Barbicide® Concentrate, Disinfecting Solution

Name and Address of Responsible Parties:

King Research, Inc

7025 W. Marcia Rd.

Milwaukee, WI 53223

Information Telephone #: 1-800-222-8160

24 Hr. Emergency Telephone Number: INFOTRAC- 1-800-535-5053

International 24 Hr. Emergency Telephone Number: INFOTRAC – 1-352-323-3500

Contract # - 106253

Section 2 – Hazards Identification

Classification of the Chemical: Clear dark blue liquid. Alcohol and disinfectant odor.

This material is classified as hazardous under OSHA regulations (29 CFR 1910.1200) (Hazcom 2012).

Hazardous classification: Flammable liquid – Category 3
Skin irritation – Category 2
Eye irritation – Category 2A

Label elements:

Signal Word: Warning

Hazard Statements: Flammable liquid and vapor.
Causes skin irritation.
Causes serious eye irritation.

Precautionary Statements: Keep away from heat, sparks, open flames, and hot surfaces.
No smoking.
In case of fire: Use water fog, carbon dioxide, dry chemical, or foam to extinguish.
Ground/Bond container and receiving equipment.
Take precautionary measures against static discharge.

Section 2 – Hazards Identification (continued)

Use explosion-proof electrical / ventilating / lighting / equipment.
 Use only non-sparking tools.
 Keep container tightly closed.
 Store in a well-ventilated place. Keep cool.
 Wash hands thoroughly after handling.
 If on Skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If skin irritation occurs: Get medical advice/attention.
 Wear protective gloves.
 Wear eye protection such as goggles or safety glasses with side shields.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 Do not eat, drink, or smoke when using this product.
 If swallowed: Immediately call a poison center/physician, Rinse mouth.
 Dispose of contents/container in accordance with local, state, federal or international regulations.

Hazard Pictogram(s):



Other Hazards not otherwise classified: None

Section 3 – Composition/Information on Ingredients

Chemical Name, Common Name	CAS #	Concentration wt/wt(*)
Isopropyl alcohol	67-63-0	5-25
Dimethyl benzyl ammonium chloride	68424-85-1	0.5-10
Sodium Nitrite	7632-00-0	0.5-10

*** Note: The exact concentrations of the chemical(s) above are being withheld as a trade secret.**

Section 4 – First-Aid Measures

Description of first aid measures:

Inhalation: If inhaled remove victim to fresh air and keep at rest. Call a poison center or physician if you feel unwell.

Skin contact: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs get medical advice/attention.

Eye contact: If in eyes rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and continue rinsing. If eye irritation persists, seek medical advice/attention.

Ingestion: Do NOT induce vomiting unless instructed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects, both acute and delayed:

Causes skin irritation.

Causes eye irritation.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, diarrhea.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically

Section 5 – Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing media: Water fog, Carbon dioxide, Dry chemical, Foam

Unsuitable extinguishing media: Not available

Special hazards arising from the substance or mixture: None Known

Flammability classification: (OSHA 29 CFR 1910.106) (Hazcom 2012): Flammable liquid – Category 3

Hazardous combustion products: Carbon oxides, other unidentified organic compounds.

Special protective equipment and precautions for firefighters:

Protective equipment for fire-fighters: Firefighters should wear proper protective equipment (Bunker gear) and self-contained breathing apparatus with full face operated in positive pressure mode.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures:

All persons dealing with the clean-up should wear appropriate protective equipment. Keep people away from spill/leak until completion of clean-up. Refer to protective measures listed in section 7 and 8.

Methods and materials for containment and clean up:

Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent run-off into drains, sewers, or any natural waterway or drinking supply. Ventilate the area. Remove all sources of ignition. Soak up with inert absorbent material. Scoop up material and place into suitable container(s). Dispose of according to local, state, and federal regulations.

Section 7 – Handling and Storage

Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye/face protection. Adequate ventilation should be supplied. Avoid contact with skin, eyes, and clothing. Keep away from heat and ignition sources. Ground/Bond container and receiving equipment. Take precautionary measures against static discharge. Keep container tightly closed.

Conditions for safe storage:

Store in cool, dry, and well-ventilated place. Containers should be clearly identified, clear of obstructions and accessible only to authorized personnel. Protect from sunlight. Have appropriate fire extinguishers/sprinkler system in place. Spill clean-up equipment should be in or near storage area.

Incompatible materials:

Strong oxidizers, Strong acids.

Section 8 – Exposure Controls/Personal Protection

Exposure limits:

Chemical Name	ACGIH-TLV	OSHA-PEL
Isopropyl alcohol	200ppm	400ppm
Dimethyl benzyl ammonium chloride	Not available	Not available
Sodium Nitrite	Not available	Not available

Section 8 – Exposure Controls/Personal Protection (Continued)

Exposure controls:

Ventilation and engineering measures: Use in well-ventilated area. Apply technical measures to comply with occupational exposure limits if needed.

Respiratory measures: If airborne concentrations are above the permissible exposure limit use NIOSH approved respirators.

Skin Protection: Wear protective gloves. Where extensive exposure to the product is possible, use resistant apron/suit and boots.

Eye/face Protection: Goggles or safety glasses with side shields.

Other Protective equipment: Ensure that eyewash stations and a safety shower are close to the workstation(s).

General hygiene considerations: Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using this product. Wash hands after handling. Remove and wash all contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

Section 9 – Physical and Chemical Properties

Appearance: Clear dark blue liquid.

Odor: Alcohol/disinfectant odor.

Odor threshold: Not available

pH: 10.0-12.0

Melting/Freezing pointing: Not available

Boiling point and boiling range: >100C (212F)

Flash point: >33.3°C (92°F)

Evaporation point (Butyl Acetate=1): Not available

Flammability (method determination): Small Scale closed cup, ASTM D3278/D3828

Lower flammability limit (% by vol.): Not available

Upper flammability limit (% by vol.): Not available

Vapor pressure: Not available

Vapor density: Not available

Relative density: 0.99-1.02

Solubility in water: Complete

Partition Coefficient (n-octanol/water): Not available

Auto ignition temperature: Not available

Decomposition temperature: Not available

Viscosity: Not available

Volatiles (% by wt) = 14%

Volatile organic compounds: Isopropyl alcohol, Dimethyl benzyl ammonium chloride

Other physical/chemical comments: No additional information.

Section 10 – Stability and Reactivity

Reactivity: Not normally reactive.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat. Contact with incompatible materials.

Incompatible materials: Strong oxidizers, Strong acids.

Hazardous decomposition products: Carbon oxides.

Section 11 – Toxicological Information

Information on routes of exposure:

Routes of entry - Inhalation: YES

Routes of entry - Skin & eye: YES

Routes of entry - Ingestion: YES

Routes of entry - Skin absorption: YES

Potential Health Effects:

Signs and symptoms of short-term exposure:

Signs and symptoms: Inhalation – May cause respiratory irritation. May cause headache, nausea, dizziness, and other symptoms of central nervous system depression.

Signs and symptoms: Ingestion – Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Signs and symptoms: Skin – May cause irritation. Symptoms may include redness, edema, drying, defatting, and cracking of the skin.

Signs and symptoms: Eyes – May cause severe irritation.

Potential Chronic Health Effects: None known.

Mutagenicity: Not hazardous by OSHA/WHMIS criteria.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects: Not hazardous by OSHA/WHMIS criteria.

Sensitization to material: No data available to indicate product may be a sensitizer.

Specific target organ effects: Not Available.

Medical conditions aggravated by overexposure: Pre-existing skin and eye conditions.

Section 11 – Toxicological Information (Continued)

Toxicological data: The calculated ATE value for this mixture is above classification parameters.

ATE (oral) = 2,912mg/kg

Chemical Name	LD50-Oral	Dermal
Isopropyl alcohol	5000mg/kg (rat)	12,800mg/kg (rabbit)
Dimethyl benzyl ammonium chloride	>2000mg/kg (rabbit)	>2000mg/kg (rabbit)
Sodium Nitrite	85mg/kg (rat)	Not available

Section 12 – Ecological Information

Ecotoxicity: May be dangerous to the environment. No data is available on the product itself. Should not be released directly into the environment.

Mobility in Soil: This product itself has not been tested.

Persistence and degradability: This product itself has not been tested.

Bioaccumulation potential: This product itself has not been tested.

Other adverse Environmental effects: None Known.

Section 13 – Disposal Information

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulation. Contact your federal, state, provincial and local authorities for specific rules.

Section 14 – Transportation Information

US 49 CFR/DOT Hazard Classification:

UN No.:	UN1993
UN Proper shipping name:	Flammable liquid, N.O.S., (Isopropanol Solution)
Transport hazard class:	3
Packing group:	III
ERG:	154

Special Transportation Notes: Not regulated per alcohol exemption (CFR 49 173.150(e)) or Limited Quantity exemption (CFR 49 173.150(b)).

DOT Marine Pollutants: This product does not contain Marine Pollutants as defined in CFR 49 171.8.

Section 14 – Transportation Information (Continued)**IMDG/IMO Code Shipping Classification:**

UN No.: UN1993
UN Proper shipping name: Flammable liquid, N.O.S., (Isopropanol Solution)
Transport hazard class: 3
Packing group: III
ERG: 154

Not classified as a marine pollutant.

ICAO/IATA Air Transport Classification

UN No.: UN1993
UN Proper shipping name: Flammable liquid, N.O.S., (Isopropanol Solution)
Transport hazard class: 3
Packing group: III
ERG: 154

Section 15 – Regulatory Information**US Federal Information:**

TSCA: All listed ingredients appear on the Toxic Substances Control Act.

US CERCLA Reportable quantity (RQ): Sodium Nitrite (100lbs.)

SARA Title III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355:

No extremely hazardous substances are present in this material.

SARA Title III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes:

Reactive Hazard, Acute Health Hazard, Chronic Health Hazard. Under SARA Section 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA Title III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372:

This product contains Isopropyl alcohol and sodium nitrite.

State Regulations:

California Proposition 65: This product does not contain a chemical known to the State of California to cause birth defects or other reproductive harm.

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Section 16 – Other Information**HMIS – Hazardous Materials Identification System**

Health -2 Flammability -2 Physical Hazard -1 PPE –B

NFPA – National Fire Protection Association

Health -2 Flammability -2 Reactivity -1

Abbreviations legend:**ACGIH: American Conference of Governmental Industrial Hygienist****CAS: Chemical Abstract Services****CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980****CFR: Code of Federal Regulations****CSA: Canadian Standards Association****DOT: Department of Transportation****ECOTOX: U.S. EPA Ecotoxicology Database****EINECS: European Inventory of Existing Commercial Chemical Substances****EPA: Environmental Protection Agency****HSDB: Hazardous Substances Database****IARC: International Agency for Research on Cancer****IBC: Intermediate Bulk Container****IUCLID: International Uniform Chemical Information Database****LC: Lethal Concentration****LD: Lethal Dose****NIOSH: National Institute of Occupational Safety and Health****NTP: National Toxicology Program****OECD: Organization for Economic Cooperation and Development****PEL: Permissible Exposure Limit****RCRA: Resource Conservation and Recovery Act****RTECS: Registry of Toxic Effects of Chemical Substances****SARA: Superfund Amendments and Reauthorization Act****SDS: Safety Data Sheet****STEL: Short Term Exposure Limit****TDG: Canadian Transportation of Dangerous Goods Act & Regulations****TLV: Threshold Limit Values****TWA: Time Weighted Average****WHMIS: Workplace Hazardous Materials Identification System****Disclaimer**

The information continued herein is based on the manufactures' own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for the safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

End of Document